TOSHIBA

- > Black & White MFP
- > Up to 120 PPM
- > Departmental Workgroup
- > Copy, Print, Scan
- > Secure MFP
- > Eco Features



C:studio 907/1057/1207

The MFP that can help your business thrive.

If you are looking for ways to help your business grow even faster, Toshiba has the perfect solution: the e-STUDIO1207 series. It has the speed, reliability and paper handling capabilities that are needed to fuel your productivity in powerful ways.

Fast and phenomenal.

From the very get-go, you'll appreciate what the e-STUDIO1207 series has to offer. With a warm-up time of 3.5 minutes and a first copy out time as fast as 3.2 seconds, you can use the intuitive, 10.1" finger swipe touch panel to select what you need, and how you need it handled. At 90, 105 and 120 pages per minute respectively, you'll also get it right when you need it. Scanning speed is an amazing 120 originals per minute (opm) for single sided documents and an even faster 200 opm for double sided.

The workflow workhorse.

Outstanding image quality at 1,200 x 1,200 dpi is consistently impressive, even across long print runs. You can rest assured documents of all sizes will turn out precise and accurate, run after run after run. And, you can use a variety of media – up to 120lb index. Need more toner? Simply replace the toner cartridge while the job is still running.

C:studio 907/1057/1207





Keep the work flowing with time saving features like tandem drawer paper supply and interposer, controlled from the easy-to-use color touch panel.

Everything you need, even faster.

Increasing production while decreasing the time it takes can make a big difference for businesses of all sizes. When the demand is great, Toshiba offers a solution that's even greater.



Even the smallest configurations offer exceptional speed, reliability and performance.

- > Fast First Copy Out Times
 > High Speed Scanning
 > Up to 13,500-Sheet Capacity
- > Dual Feed Paper Drawer
- > Tab Printing Capability
- > 10.1" Color Touch Panel
- > Scan-to & Print-from USB

Efficiency configured your way.

The e-STUDIO1207 series has it all, only faster. Copy, print, and scan with a myriad of paper handling, input and finishing options, not to mention an enormous paper capacity, genuine Adobe PostScript support, ample document storage and a low operating cost. Create whatever configuration works best for your particular needs by choosing from high capacity stackers, large capacity paper trays, folding units and finishers. It's high speed functionality configured just the way you want it.

Lead with innovative technology.

There are several advantages that make the e-STUDIO1207 series the most distinctive choice. An ultra fast processor with more than enough memory allows you to tackle larger jobs in less time and process difficult tasks without breaking stride. Thanks to Gigabit Ethernet support, you can transfer extra-large files at breakneck speeds. In addition, a 1 Terabyte HDD will store as many as 35,000 pages or 5,000 files. It's everything you need and more of what you want.





TOSHIBA

Productivity that's safe, secure and good for the environment.

As data security and environmental responsibility become increasing concerns, Toshiba continues to stay well ahead of the demand. Both have been integral to our continuing innovations.

Security matters.

Businesses need to keep their data where it belongs. That's why we have put many safeguards in place and are continually working to increase data security. The e-STUDIO1207 series includes Data Overwrite, Encryption, Authentication, Hidden Pattern Printing and Image Logs to help data stay secure. In addition, an Erase Private Data feature makes it easy to remove all stored information instantly.

Greener and cleaner.

Our increasing impact as a company is partly due to our success in reducing the environmental impact of businesses worldwide, including our own. The Toshiba e-STUDIO1207 series is no exception, being RoHS Compliant and Energy Star rated. It utilizes CO₂ reducing plastics and toner, Energy Save and Eco Modes, Enhanced Power Shut-Off and Eco Scan as well as a reduced TEC value. After all, working to preserve our environment is certainly worth the effort.

A convenient status indicator changes color, runs solid or blinks to let you know when the MFP needs attention.

> A variety of options gives you the flexibility to configure an MFP that perfectly suits your specific needs. All with the speed, reliability, and quality you've come to expect from Toshiba.

Multifunctional power in action.

Not that we could fit all the features and benefits of the e-STUDIO1207 series on one page, but take a look at these, for starters.







Ease of use

A control panel with touch swipe functionality allows for intuitive use. A retractable pulldown keyboard is easily accessible on the front panel to address text-heavy tasks. And, if you need help, access to the entire user manual is at your fingertips.



Picking up the pace

You have your choice of impressive speeds – 90, 105, or 120 pages per minute. First Copy Out Times are under 3.2 seconds for the e-STUDIO1057/1207 and 4 seconds for the e-STUDIO907.



Workhorse performance

Up to 1,000K monthly copy volume and a hefty toner yield of 120K* help keep your business running smoothly.

Massive paper handling

There's plenty of paper for really big jobs with a 13,500-sheet maximum paper capacity. Not only that, you can select from 9 paper sources plus 2 insert sources that will handle up to 160 lb index.

Advanced technology



An ARM11 600 MHz processor with Intel Atom D525 1.8 GHz PCL accelerator and 5 GB RAM handles large jobs in very little time. And, you can process the toughest jobs and realize concurrency without degradation. Also, a 10/100/1000 BaseT Gigabit Ethernet connection enables transferring of large files quickly. A 1 Terabyte HDD can store 35,000 pages while performing all of the impressive MFP functions.



.

Network print and scan

PCL6 and genuine Adobe PostScript 3 come standard. Other standards include USB-direct printing and scanning as well as direct print from FTP, web page, email and SMB.

Various finishing options

Among these are a 100-Sheet Stapler Finisher and a 100-Sheet Stapler Finisher with Saddle Stitch, as well as Folding and Post Inserter options.

High security

Data Overwrite, Encryption, Authentication, Hidden Pattern Printing, and an Image Log feature help keep your data safe. The Erase Private Data function makes it easy to remove stored data instantly.

Environmentally friendly

RoHS Compliance, Energy Star rated, CO₂ reducing plastics and toner, Energy Save and Eco Modes, Enhanced Power Shut-off and Eco Scan are combined for an impressively eco-friendly series.

C: STUDIO 907/1057/1207





> Black & White MFP

- > Up to 120 PPM
- > Departmental Workgroup
- Copy, Print, Scan
- > Secure MFP
- > Eco Features

Main Specifications

Main Specifications	Page Medale Induide LCD 250 Short DCDE 2 000 Short Depar Connectiv (Two Tenders 2 000 Short Tewn Two 500 Short Tewn) 1 TP Hard Did Drive DCI 6/Adaba
e-STUDI0907/1057/1207	Base Models Include LCD, 250-Sheet DSPF, 3,000-Sheet Paper Capacity (Two Tandem 2,000-Sheet Trays/Two 500-Sheet Trays), 1-TB Hard Disk Drive, PCL6/Adobe ⁴ Postscript [®] 3 [™] Network Printing, Color Network Scanning, And Retractable Keyboard
Туре	Console, Monochrome Multi-Function Digital Document System
Display	10.1" (Diagonally Measured) Color Dot Matrix High-Resolution Touch Panel Tilting Display 1024 x 600 Dots (W-SVGA)
Functions	Copy, Print, Network Print, Network Scan, And Document Filing
Copy System	Dry Electrostatic Transfer/Dual Component Developer/Magnetic Brush Development/OPC/White LED Exposure/Heat Roller Fusing
Max Original Size	11" x 17"
Copy Size	Min. 5.5" x 8.5", Max. 11" x 17" + 12" x 18"
Copy Speed	90/105/120 PPM (8.5" x 11")
Multiple Copy	Max. 9999 Copies
First Copy Time (In Seconds) ²	e-STUDI0907 e-STUDI01057 e-STUDI01207 Platen Glass 4.0 3.2 3.2 DSPF 6.3 5.5 5.5
Warm Up Time	210 Seconds
Magnification	25% to 400% in 1% Increments (with Document Feeder 25%-200%)
Driginal Feed	250-Sheet DSPF
Scan Speed	DSPF Scan: Up to 200 (Monochrome or Color)
Original Sizes	5.5" x 8.5", 8.5" x 11", 8.5" x 11" R, 8.5" x 14", 11" x 17"
Paper Capacity	Std. 3,000 Sheets/Max. 13,500 Sheets
Paper Feed Sizes	Standard: Tandem Tray 1 - 1200 Sheets (Letter Size), Tandem Tray 2 - 800 Sheets (Letter Size), Trays 3/4 - 500 Sheets Ea. (Letter/Legal/Ledger/Statement/12" x 18"), Optional: Multi-Bypass Tray (for Machine) - 100 Sheets (Letter/Legal/Ledger/Statement/ 12" x 18"), Multi-Bypass (for LCT) - 500 Sheets (Letter/Legal/Ledger/ Statement/12" x 18"), LCT (2-Drawer) - 2,500-Sheets Each Drawer (Letter/Legal/Ledger/12" x 18"), Letter LCC - 3,500 Sheets (Letter), Ledger LCC (e-Studio907 Onl 3,000 Sheets (Letter/Legal/Ledger)
Paper Weights And Types	Tandem Trays - 16-28 Ib Bond, Trays 3/4 - 16 Ib Bond to 100 Ib Britoti, Multi-Bypass Tray (for Machine) - 15 Ib Bond to 110 Ib Cover, Multi-Bypass Tray (for LCT) - 15 Ib Bond to 100 Ib Bristol, LCT (2-Drawd) - 15 Ib Bond to 110 Ib Cover, Letter LCC/Ledger LCC - 16 Ib Bond to 100 Bristol. Supported Paper Types Include Thin, Plan, Recycled, Color, Letter Head, Pre-Printed And Pre-Punched, Embossed and Glossy
Duplexing	Standard Automatic Duplex Copying and Printing
Сри	Up t.o 1.8 GHz Multi-Processor Controller
Interface	RJ-45 Ethernet (10/100/1,000 Base-T), USB 2.0 (2 Host Ports, Front and Rear), USB 2.0 (1 Device Port)
Memory	Standard 5 GB
Hard Disk Drive	1 TB
Copy Resolution	Scan: 1200 x 1200 dpi / 600 x 600 dpi
Exposure Control	Modes: Text, Text/Printed-Photo, Printed-Photo, Text Photo, Photo, Map, Pale-Color. Settings: Auto or 9 Step Manual
Halftone	256 Gradations/2 Levels (Monochrome) Electronic Sort, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Image Preview/Edit, Auto Tray, Paper Type Selection Switching, Rotate Copy, Reserve
Copy Features	Electronic sort, Auto raper Selection (APS), Auto Magninication Selection ANNS, image Preview/Edit, Auto Iray, Paper Type Selection Switching, Hotate Lopy, Hoserve Copy, Tandem Copy, Book Copy, Margin Shift, Edge/Center Erase, Book Divide, Dual Page, Cover/Insert Page, OHP Insert, Job Build, Card Shot, Blank Page Skip, Mirror/B/W Reverse, Proof, Pamphilet, Watermark, Custom Image, Job Programs
Account Control	Up to 1,000 Users, Supports User-Number Authentication (On Device), Login Name/ Password or Login Name/Password (Via LDAP Server) for Copy, Print, Scan, Fax an Document Management
Accessibility Features	Tilt Front Panel, Adjustment of Key Touch, Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout
Environmental Standards	International Energy Star Program Ver. 1.2, Law on Promoting Green Purchasing. European ROHS (Restriction of Hazardous Substances)
Power Source	AC 208-240 VAC, 60 Hz, 15 Amps
Power Consumption	Maximum: 3.5 kW or Less
Weight	Approx. 650 lb
Approx. Dimensions	42.75" (W) x 31.25" (D) x 48.75" (H)
Network Printing System (Standard)
Pdl	
	PCL® 6 Compatible, True Adobe®, Postscript®
Resolution	
	PCL® 6 Compatible, True Adobe®, Postscript®
Print Speed Print Drivers	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5* x 11*) Windows Server® 2003-2008, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista® x64, Windows 7, Windo
Print Speed Print Drivers	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5* x 11*) Windows Server® 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista® x64, Windows 7, Windows 7 x64, b
Print Speed Print Drivers Features	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5* x 11*) Windows Server® 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7, Windows 7 x64, M OSX (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPD Auto Configuration, Continuous Printing, Electronic Sorting, N-Up Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bypass Print, Job Relention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphile Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB
Print Speed Print Drivers Features Direct Printing	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server® 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista® w64, Windows 7, Windows 7, X64, M OSX (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPO Auto Configuration, Continuous Printing, Electronic Sorting, N-L9 Printing, Duplex Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bypass Print, Job Retention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphle Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave
Print Speed Print Drivers Features Direct Printing Resident Fonts	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5* x 11") Windows Server® 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7, Windows 7 x64, N OSK (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPD Auto Configuration, Continuous Printing, Electronic Sorting, N-Up Printing, Duper Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bypass Print, Job Relention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphle Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB
Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5* x 11*) Windows Server 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7, Windows 7, X64, N OSX (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPD Auto Configuration, Continuous Printing, Electronic Sorting, N-Up Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Pagas Print, Job Retention, Confidential Print, Profind, Duplex Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Pagas Print, Job Retention, Confidential Print, Porford, Luser Authentication, Image Stamp and Watermarks. Additional Features: Muttiple Pamphle Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fonts (PCL), 136 Fonts (PS) RJ-45 Ethernet 10/1001/1000 Base-T, USB 2.0 Windows Server 2003-2008, Windows XIsta, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netwark 34, vd. 55, Sum® OS 4.1x, Solaris® 2x, Unix®, Linux® and Citrix® (Metaframe, Presentation Server 4, 4.5) and Windows Terminal Services
Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems Network Protocols	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server 2003-2008 x64, Windows Vista® x64, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista® x64, Windows 7, Windows 7, Kerker 2003-2008 x64, Windows Vista® x64, Windows 7, Windows 7, Kerker 2003-2008 x64, Windows Vista® x64, Windows 7, Windows 7, Kerker 2003-2008 x64, Windows Vista® x64, Windows 7, Kerker 2003-2008 x64, Windows Vista® Xerker 2003-2008 x64, Windows Vista® x64, Windows 7, Kerker 2003-2008 x64, Windows Vista® Xerker 2003-2008 x64, Windows Xerker 2003-2008 x64, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netware 3x, 4x, 5x, Sun® OS 41, x5, Solaris® 2x, Unix®, Linx® and Critrix® Materiane, Presentation Server 4, 4, 4) and Windows Terminal Services TCP/IP (IP-4, IP-46, IP-46, IP-46, IP-46, MIP-40, SMTP, POP3, LDAP, 80.2.1x for Windows and Unix. LPD and LPR for Unix. IPX/SPX® for Novell Environments and Ebertal®, Appletal% for Macintosh* Environments
Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems Network Protocols Printing Protocols	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5* x 11*) Windows Server 2003-2008 x64, Windows Vista [®] x64, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista [®] x64, Windows 7, Windows 7, x64, N OSX (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PD Auto Configuration, Continuous Printing, Electronic Sorting, N-Up Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bypass Print, Job Retention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphile Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fonts (PCL), 136 Fonts (PS) RJ-45 Ethermet 10/100/1,000 Base-T, USB 2.0 Windows Server 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netware 3x, 4x, 5x, Sum [®] OS 41x, Solaris [®] 2x, Unix [®] , Linux [®] and Citrix [®] (Metaframe, Presentation Server 4, 4.5) and Windows Terminal Services TCP/IP (IPv4, IPv6, IPsec) SSL (HTTP, IPP, FTP), SMNP43, SMTP, PDP3, LDAP, 802.1x for Windows and Unix. LPD and LPR for Unix. IPX/SPX [®] for Novell Environments LPR, IPP, IPPS, PAP, Raw TCP (Port 9100), FTP and Novell Pserver/Rprinter
Print Speed Print Drivers Features Direct Printing Resident Fonts interface Operating Systems Network Protocols Printing Protocols Network Security	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server® 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7 x64, N 0SK (including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7.0.7.2), All Mac PDP Auto Configuration, Continuous Printing, Electronica, 150-710.7.2), All Mac PDP Poster Print, Job Bytass Print, Job Petention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphile Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleav File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fortis (PCL), 136 Finst (PS) RJ-45 Ethernet 10/100/1,000 Base-T, USB 2.0 Windows Server 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netware 3, 4, 4, 5, S, and Windows ZNP, Windows Vista, Windows AMTP, PDP3, LDAP, 802.1x for Windows and Unix. LPD and LPR for Unix. IPX/SPX® for Novell Environments and Ethertak® Appletak® for Macintosh® Environments LPR, IPP, IPP, IPP, PRP, RAW TCP (Nort 9100), FTP and Novell Server/Rprinter IP/Mac Address Filtering, Protocol Filtering, Port Management, User Authentication and Document Administration
Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems Network Protocols Printing Protocols Printing Protocols Network Security Security Standards	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server® 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7, x64, N OSK (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPD Auto Configuration, Continuous Printing, Electronic Sorting, N-L9 Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bypass Print, Job Retention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphile Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fonis (PCL), 136 Fonis (PS) 8.1/3-65 Ethermet 10/1001/1000 Base-T, USB 2.0 Windows Server 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netware 3x, 4x, 5x, Sum® OS 41, x, Solaris® 2x, Unix®, Linx® and Citrix® (Metafarame, Presentation Server 4, 4.5) and Windows Terminal Services TOP/IP (IP4, PG, IP4); Files CJS, UNITP, IP6 PTF, PS, NMNPA3, SMTP, POP3, LDAP, 802.1x for Windows and Unix. LPD and LPR for Unix. IPX/SPX® for Novell Environments and Ethertal®, Appletalk® for Macintosh® Environments and Ethertalk®, Appletalk® for Macintosh® Environments
Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems Network Protocols Printing Protocols Network Security Security Standards Network Scanning System	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server 2003-2008 x64, Windows VP x64, Windows Server 2003-2008 x64, Windows Vista® x64, Windows 7 x64, N OSK (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPO Auto Configuration, Continuous Printing, Electronic Sorting, N-Up Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bynass Print, Job Relention, Continuous Printing, Electronic Sorting, N-Up Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bynass Print, Job Relention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pampile Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fonts (PCL), 136 Fonts (PS) RJ-45 Ethermet 10/100/1,000 Base-T, USB 2.0 Windows Server 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netward 3x, 4x, 5x, Sum ^O OS 41, X, Solaris® 2x, Unix [®] , Linux [®] and Citrix [®] (Metaframe, Presentation Server 4, 4.5) and Windows Terminal Services TCPIP (IPV4, IPV6, IPsec), SSL (HTTP, IPP, FTP), SNMPV3, SMTP, POP3, LDAP, 80.2.1x for Windows and Unix. LPD and LPR for Unix. IPX/SPX [®] for Novell Environments and Ethertal [®] , Appletal [®] for Macintosh [®] Environments LPR, IPP, IPPS, PAP, Raw TCP (Port 9100), FTP and Novell Pserver/Rprinter IP/Mac Address Filtering, Protocol Filtering, Port Management, User Authentication and Document Administration IEEE-2600TM-2008, DoD (NSTISSP) #11, DoD Directive 8500.2, DoD (DISA) (Standard)
Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems Network Protocols Printing Protocols Network Security Security Standards Network Secunity Security Standards Network Secunity	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server® 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7, X64, N OSK (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PDD Auto Configuration, Continuous Printing, Electronic Sorting, N-L9 Printing, Duplex Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bypass Print, Jub Relation, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphile Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fonts (PCL), 136 Fonts (PS) RJ-45 Ethernet 10/100/1,000 Base-T, USB 2.0 Windows Server 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netward 3.4, 4.5, 5.3, UNIGOWS 2.4, VI, MINGW 2.4, 2014 CHITCM® (Martame, Presentation Server 4, 4, 5.) and Windows Terrinal Services TCP/IP (IPv4, IPv6, IPsec) SSL (HTTP, IPP, FTP), SNMPv3, SMTP, POP3, LDAP, 802.1x for Windows and Unix. LPD and LPR for Unix, IPX/SPX® for Novell Environments LPR, IPP, IPPS, PR, PAR VG (PG 19100), FTP and Novell Server/Rprinter IP/Mac Address Filtering, Protocol Filtering, Port Movell Server/Rprinter IP/Mac Address Filtering, Protocol Filtering, Port Management, User Authentication and Document Administration IEEE-2600TM-2008, Do0 (NSTISSP) #11, DoD Directive 8500.2,DoD (DISA) (Standard: Standard: Color, Monochrome, Grayscale
Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems Network Protocols Printing Protocols Network Security Security Standards Network Seanning System Seam Modes Max. Original Size	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server® 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7, x64, N OSK (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPD Auto Configuration, Continuous Printing, Electronic Soring, N-LD Printing, Dupler Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bypass Print, Job Retention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphle Print, Network Tandem Print, Chapter Inserts and Page Interleav File Types: TIFF, JPE6, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fonts (PCL), 136 Fonts (PS) PL-34 Ethermet 10/1001/1000 Base-T, USB 2.0 Windows Server 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netwars 2x, 4x, 5x, Sum® CS 4.10, X, Solars® 2x, Unix®, Lanw ² and Citrix® (Metaframe, Presentation Server 4, 4.5) and Windows Terminal Services TCP/IP (IPV, Hore, IPses) SEL, NDNNPV3, SMTP, POP3, LDAP, 802.1x for Windows and Unix. LPD and LPR for Unix. IPX/SPX® for Novell Environments LPR, IPP, IPPS, PAP, Raw TCP (Port 9100), FTP and Novell Pserver/Rprinter LPR, IPP, IPPS, PAP, Raw TCP (Port 9100), FTP and Novell Pserver/Rprinter LPMAs Address Filtering, Protocor Fliftering,
Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems Network Protocols Printing Protocols Printing Protocols Network Security Security Standards Network Security Scan Modes Max. Original Size Optical Resolution	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7 x64, M OSK (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPO Auto Configuration, Continuous Printing, Electronic Sorting, N-Up Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Sprass Print, Job Relention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphile Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleav File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fonts (PCL), 136 Fonts (PS) RJ-45 Ethemet 10/100/1.000 Base-T, USB 2.0 Windows Sterver 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netware 3x, 4x, 5x, Sun® OS 4.1x, Solaris® 2x, Unix®, Linux® and Citrix® (Metafarame, Presentation Server 4, 4.5) and Windows Terminal Services TCP/IP (IPV4, IPv6, IPsec) SSL (HTTP; IPP, FTP), SNMPv3, SMTP, POP3, LDAP, 80.21x for Windows and Unix. LPD and LPR for Unix. IPX/SPX® for Novell Environments and Ethertal®, Appletal® for Macintosh® Environments LPR, IPP, IPPS, PAP, Raw TCP (Port 9100), FTP and Novell Pserver/Rprinter IP/Mac Address Filtering, Protocol Filtering, Port Management, User Authentication and Document Administration IEEE-2600TW 2008, Do0 (NSTISSP) #11, Do0 Directive 8500.2, Do0 (DISA) (Standard) Standard: Color, Monochrome, Grayscale 11" x17"
Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems Network Security Security Standards Network Security Security Standards Metwork Security Scan Modes Max. Original Size Optical Resolution Output Modes	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server® 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista® w64, Windows 7, Windows 7, x64, N OSK (including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PDP Auto Configuration, Continuous Printing, Electronic Sorting, N-L9 Printing, Dupte Printing, Transparency Inserts, Margin Shift, Image Potation, Different Cover Page, Poster Print, Job Pysass Print, Job Peterson Copy Printing, Dorpher Printing, Dupte Printing, Dupter Page, Term Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fonts (PCL), 136 Fonts (PS) RJ-45 Ethernet 10/100/1,000 Base-T, USB 2.0 Windows Server 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Network and Ethric Weintarme, Presentation Server 4, 4, 5) and Windows True Markarvices TCPIP (IPv4, IPv6, IPsec) SSL (HTTP, IPP, FTP), SMIPv3, SMIP, POP3, LDAP, 802.1x for Windows and Unix. LPD and LPR for Unix. IPX/SPX® for Novell Environments LPB, IPP, IPPS, PS, PAR Tav TCP (Fort 9100), FTP and Novell Server/Rprinter IP/Mac Address Filtering,
Resolution Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems Network Protocols Printing Protocols Network Security Security Standards Network Scanning System Sex Ordjenal Size Optical Resolution Output Modes Image Formats	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7 x64, M OSK (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPO Auto Configuration, Continuous Printing, Electronic Sorting, N-Up Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Sprass Print, Job Relention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphile Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleav File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fonts (PCL), 136 Fonts (PS) RJ-45 Ethemet 10/100/1.000 Base-T, USB 2.0 Windows Sterver 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netware 3x, 4x, 5x, Sun® OS 4.1x, Solaris® 2x, Unix®, Linux® and Citrix® (Metafarame, Presentation Server 4, 4.5) and Windows Terminal Services TCP/IP (IPV4, IPv6, IPsec) SSL (HTTP; IPP, FTP), SNMPv3, SMTP, POP3, LDAP, 80.21x for Windows and Unix. LPD and LPR for Unix. IPX/SPX® for Novell Environments and Ethertal®, Appletal® for Macintosh® Environments LPR, IPP, IPPS, PAP, Raw TCP (Port 9100), FTP and Novell Pserver/Rprinter IP/Mac Address Filtering, Protocol Filtering, Port Management, User Authentication and Document Administration IEEE-2600TW 2008, Do0 (NSTISSP) #11, Do0 Directive 8500.2, Do0 (DISA) (Standard) Standard: Color, Monochrome, Grayscale 11" x17"
Print Speed Print Drivers Features Direct Printing Resident Fonts Interface Operating Systems Network Security Security Standards Network Security Security Standards Max. Original Size Optical Resolution Output Modes	PCL® 6 Compatible, True Adobe®, Postscript® 1200 x 1200 dpi 90/105/120 Pages Per Minute (8.5" x 11") Windows Server 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7 x64, N OSK (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPO Auto Configuration, Continuous Printing, Electronic Sorting, N-Up Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Byeass Print, Job Relention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphile Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB 80 Outline Fonts (PCL), 136 Fonts (PS) RJ-45 Ethernet 10/100/1,000 Base-T, USB 2.0 Windows Server 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OSX 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netwards, As, Sun® OS 41, S, Solaris® 2x, Unix®, Linux® and Citrix® (Metaframe, Presentation Server 4, 4.5) and Windows Terminal Services TCP/IP (IPV4, IPV6, IPsec) SSL (HTTP, IPP, FTP), SNMPV3, SMTP, POP3, LDAP, 80.2.1x for Windows and Unix. LPD and LPR for Unix. IPX/SPX® for Novell Environments and Ethertalk®, Appletalk® for Macintesh* Environments IEFE-2600THZ, 2008, bod (NSTISSP) #11, Dod Directive 8500.2, Dod

Output Trays	
	Upper Tray: Moving Offset Tray (Up to 1,500 Letter Size Sheets)
	Middle Tray: 250 Sheets (Letter Size, Non-Stapled)
	Lower Tray: Moving Offset Tray (Up to 2,500 Letter Size Sheets)
Stapling Capacity	Up to 100 Sheets (Letter/Statement)
Stapling Media	Plain Paper, Letter/Legal/Ledger Size or Mixed
Stapling Positions	1 Front, 1 Rear, or 2 Point Stitching
Hole Punching	Optional Three-Hole Punch Unit MX-PN13B
Power Source	120 VAC, 60 Hz, 15 Amps
Power Consumption	200W/350W with MX-MF10
Weight	Approx.: 134.5 lb
Dimensions	Approx.: 30.75" (W) x 30" (D) X 41" (H) (with Tray Extended)
100-Sheet Stapler/S	addle Stitch Finisher (MX-FN22: Option)
Туре	4,000-Sheet Console Stapler Finisher (100-Sheet Stapling)
Output Trays	Upper Tray: Moving Offset Tray (Up to 1,500 Letter Size Sheets)
	Middle Tray: 250 Sheets (Letter Size, Non-Stapled)
	Lower Tray: Moving Offset Tray (Up to 2,500 Letter Size Sheets)
Stapling Capacity	Up to 100 Sheets (Letter/Statement)
Stapling Media	Plain Paper, Letter/Legal/Ledger Size or Mixed
Stapling Positions	1 Front, 1 Rear, or 2 Point Stitching
Saddle Stitch	Center Stitch/Center Fold (2 Staples) Letter/Legal/Ledger Paper Sizes
Saddle Stitch Max. Sets	Up to 5 Sets (16-20 Sheets Per Set)/10 Sets (11-15 Sheets Per Set)/15
	Sets (6-10 Sheets Per Set)/25 Sets (1-5 Sheets Per Set)
Holo Dupohing	Optional Three-Hole Punch Unit MX-PN13B
Hole Punching	
Power Source	120 Vac, 60 Hz, 15 Amps
Power Consumption	200W/350W with MX-MF10
Weight	Approx.: 134.5 lb
Dimensions	Approx.: 30.75" (W) x 30" (D) x 41", (H) with Tray Extended
Inserter (MX-CF11 0	
Туре	Standing, 2 Trays
Paper Capacity	Upper Tray: 200 Sheets, Lower Tray: 200 Sheets (20 lb Bond)
Paper Weight	16 lb Bond to 100 lb Bristol (Paper Feeding)
Paper Size	Up to 12" x 18"
Power Consumption	70 W or Less
Power Source	24 Volts (Supplied by Main Unit)
Dimensions	21.5" (W) x 30" (D) x 50.5" (H)
Weight	Approx. 51 lb
Multi-Folding Unit (N	IX-FD10 Option)
Туре	Floor Standing
Dimensions	13.5" (W) x 30.5" (D) x 41.5" (H)
Weight	Approx. 146 lb
Power Source	Powered by MX-FN21/FN22 Finisher
Power Consumption	Maximum: Standby: 23 W or Less, in Operation: 150 W or Less
Folding Mode	Z-Fold, C-Fold, Accordion-Fold, Double-Fold and Half-Fold
Optional Equipment	
	Bypass Tray for Main Unit
MX-MEX1	
MX-MFX1	
MX-LC12	A4LCC
MX-LC12	A4LCC
MX-LC12 MX-LCX3N MX-RB16	A4LCC A3LCC Relay Unit for LCT
MX-LC12 MX-LCX3N MX-RB16 MX-LC13	A4LCC A3LCC Relay Unit for LCT A3LCT
MX-LC12 MX-LCX3N MX-RB16 MX-LC13 MX-MF11	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT
MX-LC12 MX-LCX3N MX-RB16 MX-LC13 MX-MF11 MX-RB18	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit
MX-LC12 MX-LCX3N MX-RB16 MX-LC13 MX-MF11	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT
MX-LC12 MX-LCX3N MX-RB16 MX-LC13 MX-MF11 MX-RB18	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit
MX-LC12 MX-LCX3N MX-RB16 MX-LC13 MX-MF11 MX-RB18 MX-CF11 MX-RB13	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit
MX-LC12 MX-RB16 MX-LC13 MX-MF11 MX-RB18 MX-CF11 MX-RB13 MX-FD10	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit
MX-LC12 MX-LCX3N MX-B16 MX-RB16 MX-CT13 MX-RB18 MX-CF11 MX-RB13 MX-FB10 MX-FD10 MX-FD21	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple FN
MX-LC12 MX-LCX3N MX-RB16 MX-LC13 MX-RB18 MX-RF11 MX-RB18 MX-CF11 MX-RB13 MX-FD10 MX-FN21 MX-FN21	A4LCC A3LCC Relay Unit for LCT A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple FN 100 Staple Stack Etc.
MX-LC12 MX-LCX3N MX-B16 MX-RB16 MX-CT13 MX-RB18 MX-CF11 MX-RB13 MX-FB10 MX-FD10 MX-FD21	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple FN
MX-LC12 MX-LCX3N MX-B16 MX-LC13 MX-R511 MX-R511 MX-R513 MX-CF11 MX-R513 MX-FD10 MX-FD10 MX-FN21	A4LCC A3LCC Relay Unit for LCT A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple FN 100 Staple Stack Etc.
MX-LC12 MX-LCX2N MX-RB16 MX-LC13 MX-MF11 MX-RB18 MX-CF11 MX-RB13 MX-FD10 MX-FD10 MX-FD22 MX-FN22 MX-FN22 MX-PN13B MX-RB17	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple FN 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT
MX-LC12 MX-LCXSN MX-RB16 MX-RB16 MX-RB18 MX-RB18 MX-FR11 MX-RB18 MX-FR11 MX-RB13 MX-FR10 MX-FR21 MX-FR21 MX-FR22 MX-FN3B MX-FR17 MX-RB17 MX-SL10N	A4LCC A3LCC Relay Unit for LCT Bypass Tay for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple FN 100 Staple Saddle Stich FN Punch Unit for FR21/22 Connection Kir for LCT Status Indicator
NX-LC12 NX-LC12 NX-RB16 NX-RB16 NX-HF11 MX-BB18 MX-RB13 MX-FD10 NX-FN21 MX-FN38 MX-PN138 MX-SE10N MX-S110N	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tay for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple FM 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker
NX-LC12 MX-LC12 MX-RB16 MX-RB16 MX-RB16 MX-RB17 MX-RB13 MX-FD10 MX-FD10 MX-FD10 MX-FD10 MX-FD10 MX-FD10 MX-RB13 MX-FD10 MX-FD10 MX-FD11 MX-FD10 MX-FD10 MX-FD11 MX-FD10 MX-FD10 MX-FD10 MX-FD11 MX-FD11 MX-FD10 MX-FD11 MX-FD11 MX-FD11 MX-FD11 MX-FD11 MX-FD11 MX-FD11 MX-S110 MX-CA10	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple FN 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper Cart for Stacker
NX-LC12 NX-LC12 NX-RB16 NX-RB16 NX-HF11 MX-BB18 MX-RB13 MX-FD10 NX-FN21 MX-FN38 MX-PN138 MX-SE10N MX-S110N	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tay for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple FM 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker
NX-LC12 MX-LC12 MX-RB16 MX-RB16 MX-RB16 MX-RB17 MX-RB13 MX-FD10 MX-FD10 MX-FD10 MX-FD10 MX-FD10 MX-FD10 MX-RB13 MX-FD10 MX-FD10 MX-FD11 MX-FD10 MX-FD10 MX-FD11 MX-FD10 MX-FD10 MX-FD10 MX-FD11 MX-FD11 MX-FD10 MX-FD11 MX-FD11 MX-FD11 MX-FD11 MX-FD11 MX-FD11 MX-FD11 MX-S110 MX-CA10	A4LCC A3LCC A3LCC A3LCC Relay Unit for LCT A3LCT Unit for LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper Cart for Stacker 50 Staple FN
NX-LC12 NX-LC12 NX-RB16 NX-RB16 NX-RB16 NX-RB17 NX-RB17 NX-FN10 NX-FN13B NX-FN13B NX-FN21 NX-FN13B NX-S110 NX-S110 NX-S110 NX-FN24 NX-FN25	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple FN 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper FoN 50 Staple FN 50 Staple FN
NX-LC12 NX-LC12 MX-RB16 MX-RB16 MX-RB16 MX-RB17 MX-RB13 MX-FD10 MX-FD11 MX-FD12 MX-FD13 MX-FD10 MX-FD11 MX-FD12 MX-FD12 MX-FD13 MX-FD14 MX-S110N MX-C410 MX-FD25 MX-FD25 MX-FD25	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper Cart for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/25
NX-LC12 NX-LC12 NX-RB16 NX-RB16 NX-RB16 NX-RB18 NX-RB13 NX-FD10 NX-FN10 NX-FN10 NX-FN10 NX-FN11 NX-FN10 NX-FN10 NX-FN21 NX-FN21 NX-FN21 NX-FN21 NX-FN21 NX-FN24 NX-FN24 NX-FN24 NX-FN24 NX-FN24 MX-FN48 MX-FN48 MX-FN48	A4LCC A3LCC A3LCC A3LCC A3LCC Relay Unit for LCT A3LCT Unit for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kir for LCT Status Indicator Stacker Paper Cart for Stacker 50 Staple Saddle Stich FN Punch Ult for FN24/25 Trimmer Unit (or MX-FN22
NX-LC12 NX-LC12 MX-RB16 MX-RB16 MX-RB16 MX-RB17 MX-RB13 MX-FD10 MX-FD11 MX-FD12 MX-FD13 MX-FD10 MX-FD11 MX-FD12 MX-FD12 MX-FD13 MX-FD14 MX-S110N MX-C410 MX-FD25 MX-FD25 MX-FD25	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper Cart for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/25
NX-LC12 NX-LC12 NX-RB16 NX-RB16 NX-RB16 NX-RB18 NX-RB13 NX-FD10 NX-FN10 NX-FN10 NX-FN10 NX-FN11 NX-FN10 NX-FN10 NX-FN21 NX-FN21 NX-FN21 NX-FN21 NX-FN21 NX-FN24 NX-FN24 NX-FN24 NX-FN24 NX-FN24 MX-FN48 MX-FN48 MX-FN48	A4LCC A3LCC A3LCC A3LCC A3LCC Relay Unit for LCT A3LCT Unit for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kir for LCT Status Indicator Stacker Paper Cart for Stacker 50 Staple Saddle Stich FN Punch Ult for FN24/25 Trimmer Unit (or MX-FN22
NX-LC12 NX-LC12 NX-RB16 NX-RB16 NX-MF11 MX-BB18 MX-CF11 MX-RB13 MX-FN21 MX-FN21 MX-FN13B MX-SE100 MX-ST10 MX-ST10 MX-FN24 MX-FN25 MX-FN48 MX-FN48 MX-ST10 MX-FN24 MX-FN48 MX-FN511	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit No Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper Cart for Stacker 50 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Stacker Paper Cart for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/22 Enhanced Compression Kit
MX-LC12 MX-LC12 MX-RB16 MX-RB16 MX-RB16 MX-RB17 MX-RB13 MX-FD10 MX-FN21 MX-FN21 MX-FN21 MX-RB13 MX-FN21 MX-FN21 MX-FN21 MX-FN24 MX-S110 MX-FN24 MX-FN24 MX-FN24 MX-FN25 MX-FN48 MX-FN48 MX-FN48 MX-FN10 MX-FN25 MX-FN48 MX-FN515 Supplies	A4LCC A3LCC A3LCC A3LCC A3LCC A3LCC Relay Unit for LCT A3LCT Unit for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple SAddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper Cart for Stacker 50 Staple SAddle Stich FN Punch Unit for FN24/25 Trimmer Unit for MX-FN22 Enhanced Compression Kit Mirroring Kit
NX-LC12 MX-LC12 MX-RB16 MX-RB16 MX-RB16 MX-RB17 MX-RB13 MX-FN21 MX-FN21 MX-FN21 MX-RB17 MX-RB17 MX-RB17 MX-RD10 MX-FN22 MX-FN24 MX-RD17 MX-RD10 MX-RD17 MX-RD17 MX-RD17 MX-RD10 MX-FN22 MX-RD17 MX-RD17 MX-RD18 MX-RD10 MX-FN24 MX-FN25 MX-RD10 MX-FN25 MX-RD11 MX-EB11 MX-EB15 Supplies T1207U	A4LCC A3LCC Relay Unit for LCT Bypass Tay for A3LCT Curl Correction Unit Inserter Relay Unit No Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit To FR21/22 Connection Kir for LCT Status Indicator Staple Saddle Stich FN Paper Folding Unit 50 Staple FN 50 Staple Saddle Stich FN Paper Cart for Stacker 50 Staple FN 50 Staple Saddle Stich FN Punch Unit for FN24/25 Timmer Unit for MX-FN22 Enhanced Compression Kit Mirroring Kit Toner Cartridge (Yield 120K @ 5%)
MX-LC12 MX-LC12 MX-RB16 MX-RB16 MX-RB16 MX-RB17 MX-RB17 MX-FN10 MX-FN21 MX-FN22 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN22 MX-FN21 MX-FN22 MX-FN24 MX-FN25 MX-FN10 MX-EB11 MX-EB15 Supplies 11207U 6LS00016000	A4LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit No Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Pape FN 50 Staple Saddle Stich FN Punch Unit for FN24/25 Trimmer Unit for MX-FN22 Enhanced Compression Kit Mirroring Kit Toner Cartridge (Yield 120K @ 5%) Developer D1207
NX-LC12 MX-LC12 MX-RB16 MX-RB16 MX-RB16 MX-RB17 MX-RB13 MX-FN21 MX-FN21 MX-FN21 MX-RB17 MX-RB17 MX-RB17 MX-RD10 MX-FN22 MX-FN24 MX-RD17 MX-RD10 MX-FN24 MX-RD10 MX-RD10 MX-RD10 MX-FN25 MX-FN24 MX-FN25 MX-RD11 MX-EB11 MX-EB15 Supplies T1207U	A4LCC A3LCC A3LCC Relay Unit for LCT Dynass Tay for A3LCT Curl Correction Unit Inserter Relay Unit No Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kir for LCT Status Indicator Status Indicator Stable Saddle Stich FN Paper Contraction Kirt Kort LCT Status Indicator Status Indicator Status Indicator Staple Saddle Stich FN Paper Cart for Stacker 50 Staple FN 50 Staple Saddle Stich FN Punch Unit for FN24/25 Timmer Unit for MX-FN22 Enhanced Compression Kit Mirroring Kit Toner Cartridge (Yield 120K @ 5%)
NX-LC12 NX-LC12 NX-RB16 NX-RB16 NX-HF11 MX-RB18 MX-FB18 MX-FD10 MX-FD12 MX-FN21 MX-FN13B MX-FN10 MX-SE100 MX-SE101 MX-FN22 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN3B MX-SE110 MX-FN25 MX-FN48 MX-FN25 MX-FN25 MX-FN25 MX-FN25 MX-FN25 MX-FN34B MX-FN25 MX-FN34B MX-FN25 MX-FN34B MX-FN34B MX-FN34B MX-FN34B MX-FN35 Supplies T1207U GLS00016000 Staple2000 <td>A4LCC A3LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper Carl for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/22 Connection Kit for LCT Stacker Paper Carl for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/25 Trimmer Unit for MX-FN22 Enhanced Compression Kit Mirroring Kit Toner Cartridge (Yield 120K @ 5%) Developer D1207 Staple Cartridge (or MX-FN24/FN25)</td>	A4LCC A3LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper Carl for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/22 Connection Kit for LCT Stacker Paper Carl for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/25 Trimmer Unit for MX-FN22 Enhanced Compression Kit Mirroring Kit Toner Cartridge (Yield 120K @ 5%) Developer D1207 Staple Cartridge (or MX-FN24/FN25)
MX-LC12 MX-LC12 MX-RB16 MX-RB16 MX-RB16 MX-RB17 MX-RB13 MX-FN10 MX-FN21 MX-FN22 MX-FN24 MX-FN24 MX-FN25 MX-FN24 MX-FN25 MX-FN26 MX-FN27U GLS00016000 Staple2000 Staple3100	A4LCC A3LCC A3LCC A3LCC A3LCC A3LCC A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Curl Correction Unit 100 Staple Saddle Stich FN Paper Carl for Stacker Connection Kit for LCT Status Indicator Stacker Paper Carl for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/25 Timmer Unit for MX-FN22 Enhanced Compression Kit Mirroring Kit Toner Cartridge (fred 120K @ 5%) Developer D1207 Staple Cardidge (for MX-FN25) Staple Cardidge (for MX-FN25 - Saddle)
NX-LC12 NX-LC12 NX-RB16 NX-RB16 NX-HF11 MX-RB18 MX-FB18 MX-FD10 MX-FD12 MX-FN21 MX-FN13B MX-FN10 MX-SE100 MX-SE101 MX-FN22 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN21 MX-FN3B MX-SE110 MX-FN25 MX-FN48 MX-FN25 MX-FN25 MX-FN25 MX-FN25 MX-FN25 MX-FN34B MX-FN25 MX-FN34B MX-FN25 MX-FN34B MX-FN34B MX-FN34B MX-FN34B MX-FN35 Supplies T1207U GLS00016000 Staple2000 <td>A4LCC A3LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper Carl for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/22 Connection Kit for LCT Stacker Paper Carl for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/25 Trimmer Unit for MX-FN22 Enhanced Compression Kit Mirroring Kit Toner Cartridge (Yield 120K @ 5%) Developer D1207 Staple Cartridge (or MX-FN24/FN25)</td>	A4LCC A3LCC A3LCC Relay Unit for LCT A3LCT Bypass Tray for A3LCT Curl Correction Unit Inserter Relay Unit Paper Folding Unit 100 Staple Saddle Stich FN Punch Unit for FN21/22 Connection Kit for LCT Status Indicator Stacker Paper Carl for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/22 Connection Kit for LCT Stacker Paper Carl for Stacker 50 Staple Saddle Stich FN Punch Unit for FN24/25 Trimmer Unit for MX-FN22 Enhanced Compression Kit Mirroring Kit Toner Cartridge (Yield 120K @ 5%) Developer D1207 Staple Cartridge (or MX-FN24/FN25)

100-Sheet Stapler/Finisher (MX-FN21: Option)

4,000-Sheet Console Stapler Finisher (100-Sheet Stapling)

Туре

Designs and specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system.

business.toshiba.com