TOSHIBA



CONNECT, INTEGRATE, SIMPLIFY, AND MORE.

Technology for every workplace; delivering advanced functionality, ease of use, and peace of mind.

Every business is unique. That's why Toshiba offers the latest customizable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information efficiently and safely to maximize your productivity.

Toshiba's latest series delivers on our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

- > 45 & 50 PPM
- > High-resolution color
- > High-volume black & white, and color
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor





Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customizable to meet your needs, enhancing the sleek and modern look of the complete series.

Toshiba's latest e-BRIDGE Next controller delivers exceptional color quality.


Don't restrict yourself to black and white when you can print with eye-catching color. It's Toshiba's sophisticated color system with high resolution for top-notch image quality.

- > Up to 3,600 (Equivalence) dpi x 1,200 dpi (B/W with smoothing, PostScript 3)
- > 256 gradations for smooth transitions in photographs and illustrations
- > Auto-calibration and user calibration ensure consistency of color across small and large print jobs

Elevate streamlines complicated multi-step processes into automated, one-touch functions.

We know you have work to do and at Toshiba we've introduced a new concept designed to make your job easier and more productive by personalizing the MFP user interface around your specific business processes.

Elevate enables customized and automated workflow presenting the user with convenient one-touch functions addressing only the tasks they use most. This results in simple operation and improved efficiency leading to an overall cost savings. Let Toshiba Elevate your productivity.





SMALL FOOTPRINT, BIG BUSINESS.

Even with a relatively small footprint, the e-STUDIO5015AC Series is packed with industry-leading technologies and innovations designed to help workgroups connect, integrate and simplify.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed solutions or those from a third party with ease.

Dual-Scan Document Feeder holds an amazing 300 originals and boasts an impressive 240 images per minute (IPM) by scanning both sides of the page in a single pass.

Auto Skew Correction ensures your scanned documents, using one of the document feeder options are reproduced accurately.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around any being held-up for a specific paper size, media type or even color toner.

Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Embedded Optical Character Recognition (OCR) simplifies the creation of searchable PDFs or editable document formats such as Microsoft® Word™.

Exclusive Water Proof Paper water and tear resistant media up to 12" x 47" banner size.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

12" x 18" Cassette provides the ability to print stunning 11" x 17" full-bleed color on 12" x 18" paper.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Service Module Design significantly reduces the cost and time spent servicing the MFP.

Print-from USB lets you print PDF and JPG files straight from your USB drive and the MFP will scale documents to fit the available paper size if necessary.

Scan-to USB is great for capturing a file quickly when you're on the go.

Scan Preview allows you to review your scanned documents digitally, even rotate and change pages prior to sending to file or email.

Fax Preview saves valuable resources by letting you view received faxes prior to printing them.







TOSHIBA TECHNOLOGY NEVER LOOKED BETTER.

Keeping medium to large workgroups in mind, the e-STUDIO5015AC Series is easily integrated, customizable and solutions ready with Toshiba's Open Platform.

Complex tasks of the past are now a simple one touch button on your e-STUDIO control panel, thanks to Toshiba's seamless integration with third-party solutions and the use of embedded web browser technology.

Toshiba's exclusive e-BRIDGE Print & Capture application enables mobile device users to take advantage of the broad feature set of the e-STUDIO whether they're in the office or on the go.

The Universal Print Driver is suitable for all users. Tandem print comes standard with your e-STUDIO, along with a variety of time-saving, function-adding plug-ins that enable productivity right in the printer driver. For instance:

- e-BRIDGE Job Point—quickly split up large jobs across up to 10 Toshiba MFPs
- e-BRIDGE Job Replicator—streamline the creation of multi-part forms and documents
- e-BRIDGE Job Separator—perform batch printing easily using any Windows® app
- e-BRIDGE Job Build—conveniently print different document types all together as a single job

Toshiba's current e-BRIDGE multifunction printers are compatible with Microsoft Universal Print which enables customers to fully manage their print environment from Microsoft Azure. In addition, our e-BRIDGE Plus for Google Drive™, e-BRIDGE Plus for OneDrive®, e-BRIDGE Plus for DropBox®, and e-BRIDGE Plus for box™ offer scan and print solutions to the popular cloud storage destinations.

Tight Security

Along with all of the new and innovative Toshiba technologies, we regard the security of your business a top priority.

- A 320GB Self-Encrypting Drive (SED) with Automatic Data Invalidation (ADI) & Data Overwrite capability provides top level security
- Available FIPS 140-2 Validated SED meets and exceeds strict government requirements
- IPsec is available to securely encrypt data sent to-and-from the MFP

Environmental Protection

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely what we do here at Toshiba.

- > ENERGY STAR® V3.0 certified
- > RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost too
- e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use.



^{*}Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

^{**}Available three applications; e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online

FEATURES, BENEFITS, AND THE WOW FACTOR.

1 Document Feeder Options

MR4000B Dual-Scan Document Feeder (DSDF)

MR3031B Reversing Automatic Document Feeder (RADF)

KA5005PC Platen Cover

2 Accessory Tray & Options

GR1330 Accessory Tray
GR9000 Bluetooth Keyboard
GR1340 10-Key Numeric Keypad

3 Finishing Options

MJ1042B 50-Sheet Inner FinisherMJ1109B 50-Sheet Console FinisherMJ1110B 50-Sheet Saddle-Stitch Finisher

MJ5015 Job Separator

4 Additional Paper Options

KD1058B Paper Feed Pedestal

KD1059B 2,000-Sheet Large Capacity Feeder MY1048B Additional Drawer Module for PFP

MY1049B Envelope Cassette



Additional Option Highlights

- > Multi-Station Print Enabler
- > Embedded OCR Enabler
- > Wireless LAN/Bluetooth
- > IPsec Security Enabler
- > Single & Dual-Line Facsimile
- > Hidden Card Reader Pocket

The Toshiba e-STUDIO5015AC Series can increase the efficiency of your workgroups, improve the professionalism of your presentations, and streamline the workflow of your organization. And, that's just for starters.

Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex. A conventional RADF is available for less scan-intensive businesses.

Envelopes—the Perfect Fit

A special envelope cassette is available to hold up to 60 envelopes, making sure each one is fed and printed in the same place, every time.

Volumes and Volumes

A high monthly copy volume is up to 210,000 for monochrome and 105,000 for color printing. Toner yields are 33,600 CMY and 38,400 K (at 5%) respectively.

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler, now with support of up to 50 e-STUDIO devices, allows users to send print jobs from their desktop and retrieve them by simply swiping their card and authenticating at any convenient MFP.

Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, a dual-core processor, 4GB RAM, and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

©-STUDIO 4515AC/5015AC

Main Specifications

Copy System Indirect Electrostatic Photographic Method/OPC/Laser Printing/

Heat Roller Fusing

Display 10.1" Color WSVGA Touch Screen Tilting Display

Copy Speed First Copy Out 45/50 PPM (LT) Color: 5.7/5.7 Seconds Monochrome: 4.4/4.4 Seconds

Approx. 20 Seconds Warm-Up Time Copy Resolution 600 x 600 dpi

Stack Feed Bypass 3.9" x 5.8" to 12" x 18", 12" x 47" Banner, Envelope

Up to 999 Copies Multiple Copying

Paper Capacity Standard 1,200 Sheets/Max. 3,200 Sheets Optional 300-Sheet DSDF or 100-Sheet RADF **Original Feed**

Scan Speed & Weights DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color)

Simplex: 9.3-110 lb Bond, Duplex: 9.3-110 lb Bond RADF Scan: Up to 73 IPM (Monochrome or Color), Simplex: 9.3-41.8 lb Bond,

Duplex: 13.3-41.8 lb Bond

Max. Original Size

Paper Feed Sizes Drawer 1: 550 Sheets-ST-R to LD Drawer 2: 550 Sheets-ST-R to 12" x 18"

Stack Feed Bypass: 100 Sheets-3.9" x 5.8" to 12" x 18", 12" x 47" Banner

Opt. 550-Sheet Paper Feed Pedestal-ST-R to 12" x 18"

Opt. 550-Sheet Drawer for PFP-ST-R to 12" x 18"

Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-ST-R to LG

Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-LT Only Paper Weights Standard: 550 Sheets x 2-16 lb Bond-140 lb Index

Stack Feed Bypass: 100 Sheets-14 lb Bond-100 lb Cover Opt. 550-Sheet Paper Feed Pedestal-16 lb Bond-140 lb Index Opt. 550 Sheets Drawer for PFP-16 lb Bond-140 lb Index Opt. Envelope Cassette for PFP-16 lb Bond-140 lb Index Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-17 lb-28 lb Bond

Standard Automatic Duplex Unit (16 lb Bond-140 lb Index) Duplex

Reproduction Ratio

25% to 400% Max. 105K/105K Month (Color: 100%) **Max Duty Cycle** Max. 210K/210K Month (Monochrome: 100%)

Weight Approx.172 lb

Approx. Dimensions 23" (W) x 25.2" (D) x 31" (H) **CMYK Toner Yield** CMY: 33.6K, K: 38.4K @ 5% 120 Volts, 50/60 Hz, 12 Amps **Power Source Power Consumption** Maximum 1.5kW (120V) Intel Atom™ 1.33 GHz (Dual-Core) CPU

Memory 4GB

Hard Disk Drive 320GB Self-Encrypting Drive Security Features

User Authentication, On-Board Data Scramble Function, SCFP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/ IEC15408)* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check Function, Image Log, Card Authentication,

NFC Authentication Conformance with HCD-PPv1.0 in High Security Mode.

ENERGY STAR® (V3.0), EPEAT Gold, Californian Proposition 65 **Environmental Stds.** Certification WHQL (Windows® 8, 8.1, 10, 2012, 2012 R2, 2016, 2019), Novell®, Citrix®,

SAP. AirPrint® and Mopria®

Scan Specifications

Scan Speed DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color)

RADF Scan: Up to 73 IPM (Monochrome or Color) Standard: Full Color, Auto Color, Monochrome, Grayscale Scan Modes Scan Resolution 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi **File Formats**

Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX

(Opt.), PPTX (Opt.)

Color/Grayscale: JPEG (High, Middle, Low) Image Compression

Facsimile Specifications

Super G3 MH/MR/MMR/JBIG Compatibility

Data Compression Transmission Speed Approx. 3 Seconds Per Page Fax Modem Speed Up to 33.6 Kbps

Memory Transmission 100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job

0.7 Seconds Per Page, Maximum 73 IPM Scan Speed

e-Filing Specifications

Operation Method Color Touch Screen Control Panel or Client PC **Number of Boxes**

1 Public Box, 200 Private User Boxes 100 Folders Per Box, 400 Documents Per Folder/Box, Capacity of Boxes

200 Pages Per Document

e-BRIDGE Next Print Specifications

PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG PDL

45/50 Pages Per Minute (LT) **Print Speed**

600 x 600 dpi (5 bit), 1,200 x 1,200 dpi (Color/2 bit) or 3,600 (Equivalence) x

1,200 dpi (BW/with Smoothing) (PS3 Only) Windows® 8.1,10, Windows Server® 2012/R2, Windows Server® 2016, **Operating Systems** Macintosh® (macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13, 11.4), Unix®, Linux®

Network Protocols TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments,

EtherTalk for Macintosh Environments

Printing Protocols SMB, LPR/LPD, IPP V2.0 w/Authentication, AppleTalk® PAP or EtherTalk, Port 9100 (Bi-Directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP **Print Drivers** Windows® 8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows

Server® 2016, Windows® 10 (32-bit, 64-bit), macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13, 11.4

RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-Speed) Optional Interface

IEEE802.11b/g/n, Wireless LAN, Optional Bluetooth

Wireless Device AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android

(Available via Apple® App Store or Google Play)

Device Management TopAccess, EFMS 6.30 (e-BRIDGE Fleet Management Software) **Account Control**

Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® Domain) or Login Name/ Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function

Accessibility Features Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen

Timeout and Audible Beep Message Alerts

Accessories (Options)

Platen & Document Feeder Options MR4000B DSDF RADF MR3031B Platen Cover KA5005PC **Additional Paper Options** Paper Feed Pedestal KD1058B Drawer Module MY1048B Envelope Cassette Option MY1049B KD1059B Large Capacity Feeder **Finishing Options** Inner Finisher MJ1042B 50-Sheet Staple Finisher MJ1109B Saddle-Stitch Finisher MJ1110B Hole Punch Unit for MJ1042 MJ6011 Hole Punch Unit for MJ1109/MJ1110 MJ6105 KN5005 Bridge Kit Job Separator Connectivity/Security Options

MJ5015 FAX Unit/2nd Line for FAX Unit GD1370N Wireless LAN/Bluetooth GN4020 Fax Over IP License Key GS1100NODE Hardcopy Security Printing GP1190A Bluetooth Keyboard GR9000 GR1330 Accessory Tray Panel 10-Key Option

Card Reader Holder GR1320 USB Hub GR1310 Meta Scan Enabler GS1010 IPsec Enabler GP1080 Unicode Font Fnabler GS1007 Embedded OCR Enabler Per Seat License GS1080NODE Multi-Station Print Enabler GS1090NODE

Per Seat License e-BRIDGE Plus for OneDrive for Business V3.0 GB2300NODE e-BRIDGE Plus for Sharepoint Online V3.0

GB2310NODE e-BRIDGE Plus for Exchange GB2320NODE GP1190A Online V3.0 Hardcopy Security Printing FIPS HDD

Miscellaneous Options Stand

STAND5005 Accessible Arm KK2550 Work Tray KK5005 Manual Pocket KK5008 Harness Kit for Coin Controller GO1280

GE1230













Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint® and the AirPrint® logo are trademarks of Apple Inc. This is a Class 1 laser oduct complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries

Corporate Office

East Coast

Midwest

South

West Coast

959 Route 46 East, 5th Floor, Parsippany, NJ 07054 Tel: 973-316-2700

25530 Commercentre Drive, Lake Forest, CA 92630

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631 Tel: 773-380-6000

2037 Bakers Mill Rd., Dacula, GA 30019 Tel: 678-546-9385

Tel: 949-462-6000

25530 Commercentre Drive, Lake Forest, CA 92630 Tel: 949-462-6000

Web Site www.business.toshiba.com