


TOSHIBA

e-STUDIO™ 9029AG

Introducing a new generation Toshiba multifunction printer (MFP) – with high-performance, zero-trust security and cloud-ready features, this printer is the perfect choice for today's modern work environments.

- High-Speed – Up to 90 PPM
- TAA Compliant
- Advanced Security Features
- CAC/PIV Authentication
- Solutions Ready
- Environmentally Friendly



TOSHIBA

Cloud-ready and secure for today's digital workplace.

Today's new hybrid work environment demands that information be available and accessible from anywhere at any time for organizations to be efficient and productive. Yet it needs to be secure. Introducing Toshiba's newest e-STUDIO departmental MFP, specifically designed to meet this need. Providing the ultimate in productivity through speed, quality and consistency, this printer also delivers a zero-trust approach for the highest level of security and cloud-ready features built-in for anywhere accessibility.

At Toshiba, productivity is a priority.

Our new monochrome MFP is faster and more productive, secure, and reliable than any other departmental model Toshiba has ever produced. With everything from a super-charged document feeder to greater maximum paper capacity to next-level finishing performance, this new model raises the bar on what an MFP can do for productivity in the modern workplace.

90 PPM to handle more volume for more users, serving the needs of busy departmental environments.

New High-Speed, High-Capacity Dual Scan Document Feeder (DSDF) with Double Feed Detection (DFD) for the most mission-critical scanning environments, providing up to 240 IPM duplex scan speeds.

High-Resolution for crisp image quality: up to 1,200 dpi x 1,200 dpi.

Universal Print provides support for the latest simplified driver set-up from Microsoft®. Universal Print removes the hassle and expenses associated with maintaining print servers.

65-Sheet Stapling takes finishing to the next level and is available on both the regular and saddle stitch finisher, the latter capable of producing booklets up to 60-pages.



8,020-Sheet Maximum Paper Capacity thanks to an integral tandem LCF design along with multiple additional external paper options including a 2,500-sheet letter-size LCF and even a unique 2,000-sheet piggyback LCF for those really demanding environments

10.1" Tablet-Style Full Color Tilting Touch Screen Panel offers touch swipe User Interface (UI) featuring newly designed icons that provide access to the MFP's core functions and productivity-enhancing workflow solutions – all while offering a consistent and familiar user experience to the entire Office Collection.



Built-in OCR (Optical Character Recognition) allows you to quickly and easily scan paper documents to create searchable PDFs or editable document formats, such as Microsoft® Word®.

Voice Guidance Technology affirms your programming selections and is a great option for users with visual disabilities addressing Section 508 of the Rehabilitation Act, opening it up to a wider audience.

Soft Closing Drawers provide a luxurious feeling and better end user experience.

Environmentally Friendly is the Toshiba way: RoHS compliant, recycled plastics, Low-Power (1W) Super Sleep Mode, and our EcoSmart Recycling Program – as well as lower TEC values for more energy efficiency, earning them the newest EPA ENERGY STAR® 3.1 rating.

Higher Duty Cycles and Periodic Maintenance Intervals provide greater volume with fewer routine service calls so you can stay focused on productivity.



Optical Character
Recognition



Voice
Guidance



Soft Close
Drawers



Environmentally
Friendly



Fewer Routine
Service Calls

Security is job number one.

secureMFP

Security has never been a more critical consideration for any device in today's business landscape. MFPs have the extra burden of being shared by all users, and many if not all written documents pass through this device while being printed, scanned, faxed, or copied. That's why Toshiba strongly believes in zero-trust security principles while designing the applications and cloud services for MFPs. Instead of assuming that the applications and services running on MFPs behind the corporate firewall are safe, we ensure that access and communication with the MFP is fully authenticated, authorized, and encrypted. We accomplish this by enhancing security using the following features:

Trusted Platform Module 2.0 features the latest version of hardware-based security that safeguards all data on the MFP using cryptographic keys.

Built-in Antimalware that's stronger than antivirus protects the MFP from Trojan horses, ransomware, spyware, rogue software, and more.

OAuth2 Token-based Identity Management helps integrate cloud services with your existing identity management, therefore credentials are not replicated, and the chance of vulnerabilities is reduced.

Enhanced Data Encryption with TLS 1.3 keeps the communication between MFP and other applications fully secure thanks to the latest and most secure version of transport layer security.

Built-in 128GB Solid State Drive (SSD) ensures improved system reliability, while a second **FIPS 140-2 validated 512GB SSD** conforms to the Federal Information Processing Standards, providing secure onboard document storage.

When configured in High Security Mode, these MFPs meet the **Hardcopy Device Protection Profile (HCD-PP)** using the **Common Criteria (CC)** methodology for information technology security evaluation.

CAC/PIV Authentication capability enables controlled device access.



Harness the power of the cloud.

With **Elevate Sky®** from Toshiba, you'll find cloud-based print solutions for the modern workforce, allowing workflows to seamlessly integrate your MFPs and documents with the cloud applications you're already using.

e-BRIDGE® Global Print allows you to fully embrace cloud technology. It simplifies and secures your print environment while providing the flexibility for users to print from anywhere – work, home office, or on the road.

Elevate Sky® Services from Toshiba is a suite of cloud-based applications designed to better manage print and document environments by improving device uptime and visibility to fleet usage and performance.

Leveraging big data analytics and artificial intelligence, Elevate Sky® Services can identify impending errors before they happen. In many cases, remote intervention can address the issue before affecting regular device operations.

Elevate Sky® MFPConnect is an innovative and exclusive, cloud-based app that's ideal for remote fleet management, application and license deployment, and policy-based security management for your fleet.

Elevate Sky® Remote Assist enables technicians, with the end-user's approval, to remotely access the MFP and perform diagnostics and adjustments potentially eliminating the need for what might otherwise be an onsite service call.

Elevate Sky® Predict assists technicians by applying predictive analytics to anticipate an MFP's service needs thus improving uptime.



Elevate Sky® AI uses machine learning models to predict parts failures within a Toshiba fleet, helping reduce service costs by optimizing technician dispatch.

Elevate Sky® Manage allows IT administrators to remotely monitor fleet status, deploy licenses and applications to devices, and ensure that all Toshiba MFPs on the network have consistent and compliant security settings and policies.

Elevate Sky® Reports monitors MFP usage patterns, generates, and schedules custom reports for their entire fleet to gain valuable insights into how MFPs are being utilized.

Toshiba's cloud-ready MFPs and our team of experts provide the solutions your business needs to improve workflows and print smarter. Utilizing the latest technological advancements and security standards, we provide end-to-end solutions to help you seamlessly and securely navigate today's digital workplace from consulting, cloud migration, fleet management, implementation, and technical support.

The ultimate in productivity.

e-STUDIO™ 9029AG

- 1 Dual Scan Document Feeder** with Double Feed Detection – Scans up to 240 IPM; holds up to 300 originals (refillable)
- 2 10.1" Tiltable Front Panel** makes programming jobs easier than ever – even for wheelchair users – and is Section 508 friendly
- 3 Card Reader Pocket** provides increased security and enables controlled access to MFP
- 4 65-Sheet Stapling Finishers** and an output capacity of up to 3,000 pages enable bigger jobs
- 5 Saddle Stitch Finishing** enables up to 60-page booklets, and unique avalanche tray increases exit capacity
- 6 Soft Closing Drawers** automatically pull drawer closed when initiated and provide a luxury experience
- 7 Integral Tandem LCF** gives base unit 3,520 sheet supply while refillable design allows users to add paper while MFP is in use
- 8 2,500-Sheet External LCF** boosts paper capacity to 6,020 sheets
- 9 Unique Piggyback LCF** raises capacity to an amazing 8,020 sheets for the most demanding environments



Main Specifications

Copy Process	Indirect Electrostatic Photographic/OPC/Laser Printing/Heat Roller Fusing
Display	10.1" Color WSVGA Touch Screen Tilting Display
Copy Speed	90 PPM (LT)
First Copy Out	Monochrome: Less Than 5.2/4.5/4.1 Seconds
Warm-Up Time	From Powering On: Approx. 20/24/25 Seconds From Sleep: 15.4/15.4/Less Than 20 Seconds From Low Power: 15.4 Seconds
Copy Resolution	600 × 600 dpi
Stack Feed Bypass	3.9" × 5.8" to 13" × 19", 12" × 47" Banner, Envelope
Multiple Copying	Up to 999 Copies
Paper Capacity	Standard 3,520 Sheets/Max. 8,020 Sheets
Original Feed	300-Sheet DSDf with Double Feed Detection
Max. Original Size	LD/A3
Paper Feed Sizes	Drawers: 540 Sheets-ST-R to 12" × 18" Integral Tandem LCF: 1,160 × 2 LT Only Stack Feed Bypass: 120 Sheets-3.9" × 5.8" to 13" × 19", 12" × 47"
Banner	Opt. 2,500-Sheet External LCF LT Only Opt. 2,000-Sheet Piggyback External LCF LT Only Drawers: Standard 540 Sheets x 2-16lb Bond-110lb Cover Tandem LCF 1,160 Sheets x 2-16lb Bond-110lb Cover Stack Feed Bypass: 120 Sheets-16lb Bond-110lb Cover Opt. 2,500-Sheet External LCF LT Only-16lb Bond-110lb Cover Opt. 2,000-Sheet Piggyback External LCF LT Only-16lb Bond-110lb
Paper Weights	Standard Automatic Duplex Unit (16lb Bond-140lb Index) 25% to 400% 740K Month Approx.430lb
Cover	37.6" (W) x 27.5" (D) x 48.3" (H)
Duplex	106.6K @ 5%
Reproduction Ratio	120 Volts, 50/60 Hz, 16 Amps
Max Duty Cycle	Maximum 2.0kW/2.0kW/2.4kW (120V)
Weight	NEMA 5-20
Approx. Dimensions	8GB
Toner Yield	128GB Solid State Drive (SSD), 512GB FIPS 140-2 SSD
Power Source	
Power Consumption	
Plug Type	
Memory	
Hard Disk Drive	

e-BRIDGE Next Print Specifications

PDL	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
Print Resolution	600 × 600 dpi, 1,200 × 1,200 dpi or 3,600 (Equivalence) x 1,200 dpi (with Smoothing) (PS3 Only)
Operating Systems	Windows® 8.1,10, 11, Windows Server® 2012/R2, Windows Server® 2016/19/22, Macintosh® (macOS X 10.10-15, 12), Unix®, Linux® TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell®
Network Protocols	Environments, EtherTalk for Macintosh Environments
Printing Protocols	SMB V1-3, LPR/LPD, IPP V1.2 w/Authentication (TLS 1.2/1.3), AppleTalk® PAP or EtherTalk, Port 9100 (Bi-Directional), NetWare P-SERVER LPD w/iPrint, Bluetooth (HCRP/BIP/OPP/FTP), WS Print, FTP
Print Drivers	Windows® 8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows Server® 2016/19/22, Windows® 10, 11 (64-bit), macOS X 10.12-15, 11, 12
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-Speed) Optional IEEE802.11b/g/n, Wireless LAN, Optional Bluetooth
Wireless Device	AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)
Device Management	TopAccess
Account Control	Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® Domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Accessibility Features	Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout, Audible Beeps, Optional Voice Assist

Security Features

User Authentication, Trusted Platform Module, On-Board Data Scramble Function, SCEP, Disable, e-Filing, Disable Copy, Disk Overwrite*, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check Function, Image Log, Card Authentication, Biometric Authentication *Conformance with HCD-PPv1.0 in High Security Mode

Environmental Standards Certifications

ENERGY STAR® (V3.1), EPEAT Gold, Californian Proposition 65 WHQL (Windows® 8, 8.1, 10, 11, 2012, 2012 R2, 2016/19/22), Novell®, Citrix®, SAP, AirPrint® and Mopria®

Scan Specifications

Scan Speed	DSDf Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color)
Scan Weights	9.3-110lb Bond
Scan Modes	Standard: Full Color, Auto Color, Monochrome, Grayscale
OCR	DOC/XLS/PPT/PDF
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, PDF/A, Searchable PDF, XPS-Multi/Single Page, DOCX, XLSX, PPTX Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, PDF/A, Slim PDF, Searchable PDF, XPS-Multi/Single Page, DOCX, XLSX, PPTX
Image Compression	Color/Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications

Compatibility	Super G3
Data Compression	MH/MR/MMR/JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	Up to 33.6 Kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job

e-Filing Specifications

Operation Method	Color Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

Accessories (Options)

Additional Paper Options

Large Capacity Feeder - 2,500 Sheet
MP2503L

Large Capacity Feeder - 2,000 Sheet
MP2002L

LCF Connector (to Add 2K LCF)

KN9000

Finishing Options

65-Sheet Staple Finisher

MJ1115

65-Sheet Saddle-Stitch Finisher

MJ1116

Hole Punch for MJ1115/MJ1116

MJ6108N

Finisher Guide Rail

KN1103

Exit Tray

KA6551

Connectivity/Security Options

FAX Unit/2nd Line for FAX Unit

GD1370N

Wireless LAN/Bluetooth

GN4030A3

Fax Over IP License Key

GS1100NODE

Bluetooth Keyboard

GR9001

2nd NIC Holder

GR1430

USB Hub

GR1420

Meta Scan Enabler

GS1010NODE

CAC/PIV Card Reader

SCR3310V2

CAC/PIV Enabler

GR1013NODE

Miscellaneous Options

Card Reader Holder

GR1320

Accessory Tray

GR1330

Panel 10-Key Option

GR1340

Manual Pocket

KK5008

Harness for Coin Controller

GQ1280

Accessible Arm

KK2560

Software Options

e-BRIDGE Global Print

GB2550NODE

IPSec Enabler

GP1080NODE

Unicode Font Enabler

GS1007NODE

Multi-Station Print Enabler

Per Seat License

GS1090NODE

e-BRIDGE Plus for OneDrive

for Business V3.0

GB2300NODE

e-BRIDGE Plus for SharePoint

Online V3.0

GB2310NODE

e-BRIDGE Plus for Exchange

Online V3.0

GB2320NODE

Workplace Productivity Bundle

GB2330NODE

e-BRIDGE Plus for Gmail

GB2380NODE

e-BRIDGE Plus for Google

Workspace

GB2390NODE

e-BRIDGE Plus

Voice Guidance

GB2540NODE



Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint® and the AirPrint® logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

Corporate Office

25530 Commercentre Drive, Lake Forest, CA 92630
Tel: 949-462-6000

East Coast

959 Route 46 East, 5th Floor, Parsippany, NJ 07054
Tel: 973-316-2700

Midwest

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631
Tel: 773-380-6000

South

2037 Bakers Mill Rd., Dacula, GA 30019
Tel: 678-546-9385

West Coast

25530 Commercentre Drive, Lake Forest, CA 92630
Tel: 949-462-6000

Website

business.toshiba.com