

TOSHIBA

e-STUDIO™ 331ac/401ac

Experience everything about a larger MFP through a device that fits right on your desk or rolls up next to it. This color printer is a real team player, offering everything smaller workgroups need to move at the speed of today's business.

- Color A4 Multifunction Printer
- Up to 42 PPM
- Small/Medium Workgroups
- Copy, Print, Scan, Fax
- Advanced Features





Big features in a smaller footprint.

Toshiba's e-STUDIO™331AC/401AC provides the robust feature set of full-size MFPs in a compact footprint, making this series an ideal candidate for small to mid-size workgroups. They will also lighten the load of the busiest workgroup systems. Like Toshiba's larger models, this series offers all the functions and applications you need to keep your business running smoothly – copy, print, scan, and fax, plus the same workflow-enhancing solutions.

People-pleasing performance.

We know deadlines can't wait. Your teams have contracts, presentations, and reports to produce. These machines ramp up quickly in 20 seconds (or less) and produce 35 and 42 pages-per-minute (PPM), respectively. While the 100-sheet Dual-Scan Document Feeder automatically adjusts for any skews as it scans 120 duplex impressions-per-minute (IPM). Scan Preview allows you to scan, rotate pages, or even change their order. For added efficiency, Print Around eliminates printing bottlenecks by allowing other print jobs to go around any job being held-up for a specific paper size, media type or even color toner if not available in the machine.

Super easy to use.

The tilting 10.1" full-color, tablet-style touch screen with embedded web browser makes it easy to navigate features and functions. You may customize the user interface to your needs and simplify the menu structure to improve workflow and productivity. Cloud accessibility is built-in, simply print documents from the cloud, or scan to a folder, email or a variety of cloud-based applications. Built-in OCR can convert your documents to searchable PDF format to aid in document retrieval or scan them to popular Microsoft® formats including Word® to enable editing or re-purposing the text. Support for iBeacon® and Mopria Beacon allows mobile devices to easily locate and connect to these MFPs, streamlining the printing process. The e-STUDIO331AC/401AC are the very first printers to feature this new technology.

Paper handling that stacks up.

These MFPs are team players. They can accommodate heavy paper and two-sided printing. On their own, they offer 650-sheet capacity from two paper sources. If you want even more, an optional second cassette will add another 550 sheets. Still not enough? An optional base provides one or two additional 550-sheet cassettes, or choose an optional tandem Large Capacity Feeder (LCF) that provides 2,000 sheets instead for a maximum capacity of 3,200 sheets.

Strong and dependable.

This series is designed for minimal downtime with a maximum Monthly Copy Volume of 150,000 for color and monochrome printing, generous toner yields that support sustained productivity, and periodic maintenance that can be completed quickly.

True colors.

Let your output shine with proven, accurate color. Just as with larger systems, Toshiba's unique toner formulation and patented image technology enables these compact models to achieve a wider gamut of colors more accurately than found on competitive 4-color toner-based devices. Whether it's a boardroom presentation or your brand identity, the e-STUDIO331AC/401AC will capture each color correctly in high-resolution up to 1,200 dpi.

State-of-the-art security.

Whether you're protecting personal records, private data, or intellectual property, Toshiba knows security is a top priority. These machines are equipped with a large 256GB Self-Encrypting Solid State Drive (SSD). Need more storage? You can add an additional 512GB SSD with the same encryption features built-in, giving the system an impressive 768GB total of safe and secure storage. Trusted Platform Module 2.0 adds yet another layer of encryption further safeguarding any documents or data stored or processed on these devices.

Green machines.

This series not only has a compact footprint, but a compact carbon footprint. They are RoHS compliant, use recycled plastics, and have a Super Sleep (1W) Mode. They also reduce the environmental impact by being EPEAT Gold and Energy Star V 3.2 certified.



Compact & Capable. Maximum productivity.

As compact as Toshiba's new e-STUDIO331AC and e-STUDIO401AC are, you may be inclined to underestimate their capabilities, but at 35 & 42 PPM respectively, with impeccable image quality they've got the speed – even at 1,200 DPI, to handle volume normally reserved for larger workgroup systems. The 100-sheet Dual Scan Document Feeder (DSDF) scans 120 duplex letter-size impressions per minute. And the DSDF is refillable too. With options, 3,200 sheet paper capacity is possible while still retaining that compact footprint. A yield of 17.4K for color toner and 18.4K for black and a maximum monthly duty cycle of 150,000 pages minimizes user intervention and service calls too. Here's just some of the features that make this compact powerhouse so capable:

Impressive Performance

- 35 and 42 PPM, respectively
- 100-sheet dual-scan document feeder provides 120 duplex IPM
- Fast, first-copy-out times at 7.2 for color and 5.7 for monochrome

Brilliant Image Quality

- High resolution up to 1,200 dpi color with 256 gradations
- Accurate color and fine detail, including support for our e-BRIDGE Color Profile Tool
- Auto color calibration for consistent color across large print jobs

Broad Paper Handling

- 650-sheet standard with up to 3,200-sheet maximum paper capacity
- Heavy paper support through the drawers and duplex up to 140-lb index
- Support for envelopes through the drawers or bypass

Unmatched Reliability

- 150K monthly copy volume and periodic maintenance intervals
- High toner yields of K: 18.4K & CMY: 17.4K @ 5% coverage
- Service Module Design allows for efficient maintenance

Easy to Use

- 10.1" Tablet-Style, Full-Color Tilting Touchscreen Panel
- Customizable user interface
- Built-in OCR easily converts your scanned documents to searchable PDF or popular Microsoft 365 formats

Innovative Technology

- Next generation e-BRIDGE technology enables third-party solutions integration and support
- Fast Intel dual-core processor with 4GB RAM and 256GB Self-Encrypting Solid State Drive (SSD) with additional 512GB SSD available for extra storage space.
- Optional fax with iFax capability



Impressive Performance



Brilliant Image Quality



Broad Paper Handling



Unmatched Reliability



Easy to Use

Main Specifications

Copy System	Indirect Electrostatic Photographic Method/OPC/LED Printing/Heat Roller Fusing
Display	10.1" Color WSVGA Touch Screen Tilting Display
Copy Speed	35/42 PPM (LT)
First Copy Out	Color: 7.2/6.3 Seconds Monochrome: 5.7/5.1 Seconds Approx. 20 Seconds
Warm-Up Time	600 x 600 dpi
Copy Resolution	Up to 999 Copies
Multiple Copying	Standard 650 Sheets/Max. 3,200 Sheets
Paper Capacity	Standard 100-Sheet DSDF
Original Feed	Up to 120 IPM Duplex, 60 IPM Simplex (Monochrome or Color), Simplex: 9.3 -28lb Bond, Duplex: 9.3 - 28lb Bond
Scan Speed & Weights	LG (8.5" x 14") Drawer 1: 550 Sheets-ST-R to LG Stack Feed Bypass: 100Sheets-3.9"x5.8"to8.5" x 14" (LG),Envelope, Banner (8.5" x 52") Opt. 550-Sheet Paper Feed Unit (up to 3)-ST-R to 8.5" x 14" (LG) Opt. 2,000-Sheet LCF (Pedestal Type)-LT Only Standard: 550 Sheets x 1-16 lb Bond-140 lb Index Stack Feed Bypass: 100 Sheets-14 lb Bond-140 lb Index Opt. 550-Sheet Paper Feed Unit-16 lb Bond-140 lb Index Opt. 2,000-Sheet LCF (Pedestal Type)-16 lb Bond-140 lb Index Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)
Max. Original Size	25% to 400%
Paper Feed Sizes	Max. 150K Month Approx. 117 lb 20.5" (W) x 21.3" (D) x 25" (H) K: 18.4K; CMY: 17.4K @ 5%
Paper Weights	120 Volts, 50/60 Hz, 12 Amps Maximum 1.5 kW (120 V) Intel ApolloLake™ E3930 (Dual-Core) 4GB
Duplex	256GB Self-Encrypting, Solid StateDrive (SSD), optional 512GB (768GB total)
Reproduction Ratio	
Max Duty Cycle	
Weight	
Approx. Dimensions	
CMYK Toner Yield	
Power Source	
Power Consumption	
CPU	
Memory	
Hard Disk Drive	

e-BRIDGE Next Print Specifications

PDL	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
Print Speed	35/42 Pages Per Minute (LT)
Print Resolution	Up to 1,200x1,200dpi
Network OS	Windows®10 (32 bit/64 bit), Windows®11 (64 bit), Windows Server® 2016/2019/2022, Citrix XenApp/XenDesktop 7.6 (LTSR), Citrix XenApp/XenDesktop 7.15 (LTSR), Citrix Virtual Apps and Desktops 2xxx(CR), Citrix Virtual Apps and Desktops 1912 (LTSR), Citrix Virtual Apps and Desktops 2203 (LTSR)
Unix Filters	Unix®11, HP-UX (Ver 11.iv3), AIX 7.x, Linux® RedHat Enterprise 5.x, 6.x, 7.x, Fedora Ver 27, 28, SuSE Linux Enterprise Server Ver 12, 15, Open SuSE Ver. 13.2, 15, Ubuntu14.04LTS, 18.04, Debian 7.8, 8, CUPS V1.1.15
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, EtherTalk for Macintosh Environments
Printing Protocols	SMB, LPR/LPD, IPP (Ver.1.0) w/Authentication, Port 9100 (Bi-Directional),WS Print (w/ SSL/TLS) TLS1.2, 1.3 Support, FTP (w/ SSL/TLS) TLS1.2, 1.3 Support,iBeacon, Mopria Beacon, Bluetooth (HCRP/ BIP/OPP/FTP) optional
Print Drivers	Windows®10 (32 bit/64 bit), Windows®11 (64 bit), Windows Server® 2016/2019/ 2022 (64 bit), Macintosh® : macOS X 10.12, 13, 14, 15, mac OS 11, 12, 13, 14, 15
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-Speed) Optional IEEE802.11b/g/n, Wireless LAN, OptionalBluetooth
Wireless Device	AirPrint™, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)
Device Management	TopAccess, Elevate Sky MFP Connect
Account Control	Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® Domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Accessibility Features	Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout and Audible Beep MessageAlerts, optional Voice Guidance



Security Features

User Authentication, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEV1, IKEV2), Security Mode Change, CC Certified (ISO/IEC15408)* with HCD-PP v1.0*, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check Function, Image Log, Card Authentication, NFC Authentication

Environmental Stds. Certification

ENERGY STAR® (V3.2), EPEAT Gold, Californian Proposition65 IPv6 Phase 2, Windows (WHQL) Printer (10, 11, 2016, 2019, 2022), Scanner (WIA Driver), Citrix®, SAP (Gold Member)®, AirPrint® and Mopria®, iBeacon® for Printers, Mopria Beacon

Scan Specifications

Scan Speed	DSDF Scan: Up to 120 IPM Duplex, 60 IPM Simplex (Monochrome) Up to 82 IPM Duplex, 41 IPM Simplex (Color)
Scan Modes	Standard: Full Color, Auto Color, Monochrome, Grayscale
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF, DOCX, XLSX, PPTX Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF
Image Compression	Color/Grayscale: JPEG (High, Middle,Low)

Facsimile Specifications

Compatibility	SuperG3
Data Compression	MH/MR/MMR/JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	Up to 33.6Kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400Destinations/Job
Scan Speed	0.7 Seconds Per Page, Maximum 73 IPM

e-Filing Specifications

Operation Method	Color Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

Accessories (Options)

Paper Feed & Finishing Options			
Paper Feed Unit	MY1050	Unicode Font Enabler	GS1007NODE
Large CapacityFeeder	KD1071	Meta Scan Enabler	GS1010NODE
Spacer	GR1380	IP FAX	GS1100NODE
Caster base	GR1390	Hardcopy Security Kit	GP1190NODE
Offline Stapler	MJ1047	IPsec Enabler	GP1080NODE
Connectivity/Security Options		Multi-Station Print Enabler	GS1090NODE
FAX Unit	GD1370N	Miscellaneous Options	
Security SSD (512GB)	GE1370	Stand	STAND400AC
Wireless LAN/Bluetooth	GN4030	Accessible Arm	KK2560
Card Reader Holder	GR1400	Harness Kit for Coin Controller	GG1280N
Software Options			
e-BRIDGE Replicator	GB1550NODE		
e-BRIDGE Job Point	GB1560NODE		
e-BRIDGE Job Separator	GB1590NODE		
e-BRIDGE Job Build	GB1610NODE		
e-BRIDGE+ for OneDrive	GB2300NODE		
e-BRIDGE+ for SharePoint	GB2310NODE		
e-BRIDGE+ for Exchange	GB2320NODE		
e-BRIDGE+ WkplaceBundle	GB2330NODE		
e-BRIDGE + for Gmail	GB2380NODE		
e-BRIDGE + Google Drive	GB2390NODE		
e-BRIDGE + for Docuware	GB2430NODE		
e-BRIDGE+ Voice Guidance	GB2540NODE		

Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint™ and the AirPrint™ logo are trademarks of Apple Inc. iBeacon® is a trademark of Apple Inc., registered in the U.S and other countries and regions. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

Corporate Office	25530 Commercentre Drive, Lake Forest, CA 92630 Tel: 949-462-6000
East Coast	959 Route 46 East, 5th Floor, Parsippany, NJ 07054 Tel: 973-316-2700
Midwest	8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631 Tel: 773-380-6000
South	2037 Bakers Mill Rd., Dacula, GA 30019 Tel: 678-546-9385
West Coast	25530 Commercentre Drive, Lake Forest, CA 92630 Tel: 949-462-6000
Website	business.toshiba.com