

# Everything's Possible

Xerox® PrimeLink® C9265/C9275/C9281 Printer.



# It's Time to Embrace Agility

When requests change by the minute, you need a printer that makes everything possible—luxury output, countless options for office and production-level feeding and finishing, with speedy, effortless workflows that help work get done faster. That's the all-new Xerox® PrimeLink® C9200 Printer Series.

## NOW, ANYONE CAN PRINT LIKE A PRO

You'll do more with Xerox® PrimeLink®—a new light production engine that delivers more power with print speeds of up to 81 prints per minute. Whether you run an office, agency, university, or print production shop, Xerox® PrimeLink® is ready to enhance your image with seamless support and the broadest range of capabilities in the light production market.

## LUXURY OUTPUT QUALITY

Image quality beyond what you'd expect from an office printer, with high-definition, highly engaging color output. Plus:

**Crisp, rich black text and pristine, full-gamut color graphics** with High Definition Emulsion Aggregate (HD EA) Toner

**Optimized 0.5 mm front-to-back registration** to keep all your content exactly where you want it

**More stable and accurate quality** with new energy-efficient LED print technology, providing 2400 x 2400 dpi imaging

**Accurate density and color quality** with advanced Simple Image Quality Adjustment (SIQA)

**Support for expanded Extra-long Sheet (XLS) printing** at greater sizes (51 in./1,300 mm)

**Reliable envelope feeding** in a wide array of sizes comes standard—no special kit required



## WIDE RANGE OF FEEDING AND FINISHING

Effortless production of any run—small to large—with inline finishing on virtually any media ensures you're set up for success.

- **Offer more applications** with greater media flexibility, up to 400 gsm, and sizes up to 51 in./1,300 mm
- **Optimize your printer for every job** with Custom Stock Libraries
- **Get big capability and productivity** in a space-saving footprint

## A PRINTER SO FUN TO USE, WORK WON'T FEEL LIKE WORK

When it comes to working better, it's all about efficiency and excellence. The new Integrated Color Server for the Xerox® PrimeLink® C9200 Printer Series delivers that and more with ready-to-use workflows and advanced print features, accessed via a 10-inch touchscreen for tap-and-print/copy/scan convenience.

Powered by Fiery, the Xerox EX and EX-i C9200 Series Print Servers use advanced 10-bit rendering technology to deliver professional production image quality, along with familiar Fiery color management, streamlined job setup, and Easy Vitals that display a dashboard to spot issues faster and keep output consistent.

## SPEEDY, EFFORTLESS WORKFLOWS AND CUSTOMIZATION.

Time- and talent-saving automation with the potential to transform your workflows—and your working environment.

- **Accelerate your work** with Xerox® FreeFlow® Core and other FreeFlow® Workflow Software solutions
- **Monitor, measure, and manage** your printer or entire fleet with Xerox® FreeFlow® Vision Software
- **Xerox® Job Progress Light** gives operators instant, 360° visibility into job status—even from across the room. Stay ahead with real-time progress updates and instant alerts to keep production running without interruption.

## SUPER-SECURE FROM TODAY'S—AND TOMORROW'S—THREATS

With dozens of security features and certifications, Xerox® PrimeLink® is ready to meet and exceed your organization's protocols. Our multi-layered approach to security is designed around three principles to ensure ongoing protection and compliance—whatever your field or industry.

# The All-new, From-the-ground-up Xerox® PrimeLink® C9200 Printer Series



Shown: Fiery® EX Print Server, Two-tray Oversized High Capacity Feeder, Xerox® PrimeLink® C9200 Printer Series, Xerox® Crease and Two-Sided Trimmer, Xerox® Production Ready Booklet Maker Finisher, Xerox® SquareFold® Trimmer



**Speeds:**  
65/75/81 ppm



**Media weights:**  
Up to 400 gsm



**Banner media:**  
Up to 51 in./1,300 mm



**Standard (5-tray) capacity:**  
3,500 sheets (with optional  
One-tray Oversized High  
Capacity Feeder [OHCF])  
7,500 sheets  
(with Two-tray OHCF)

- 1 Optional one- or two-tray Oversized High Capacity Feeders (OHCF)
- 2 Tray 5 (Multi-sheet Inserter (MSI)/Bypass tray)
- 3 Remote user interface
- 4 Smart proximity sensor
- 5 Dual-head color scanner up to 270 ipm
- 6 Standard trays 1-5
- 7 Optional Xerox® EX or EX-i C9200 Series Print Servers Powered by Fiery®
- 8 Standard Integrated Color Server for the Xerox® PrimeLink® C9200 Printer Series
- 9 High Definition Emulsion Aggregate (HD EA) toner
- 10 LED print technology
- 11 Intelligent/Advanced decurler
- 12 Registration: 0.5 mm front-to-back
- 13 Custom stock library
- 14 Redesigned paper path
- 15 Xerox® Crease and Two-Sided Trimmer
- 16 Xerox® SquareFold® Trimmer Multiple finishing options for production print and office environments
- 17 Providing 10 bit rendering technology



We make it easy to make it yours. Auto-configure your ideal press with our Product Explorer tool.



# Xerox® PrimeLink® C9265/C9275/C9281 Printers

DEVICE SPECIFICATIONS	PRIMELINK C9265	PRIMELINK C9275	PRIMELINK C9281
<b>SIMPLEX SPEEDS</b>	<b>Color</b>	<b>Black-and-white</b>	<b>Color</b>
8.5 x 11 in./A4	Up to 65 ppm	Up to 65 ppm	Up to 75 ppm
11 x 17 in./A3	Up to 34 ppm	Up to 34 ppm	Up to 37 ppm
12 x 18 in./SRA3	Up to 30 ppm	Up to 30 ppm	Up to 34 ppm
<b>Printer Dimensions</b>	<b>Height:</b> 45.4 in./1,154 mm; <b>Width:</b> 62 in./1,575 mm; <b>Depth:</b> 31.2 in./793 mm (includes Bypass Tray and Offset Catch Tray)		
<b>Monthly Duty Cycle</b>	Up to 500,000 pages (maximum volume capacity expected in any one month, not intended to be sustained regularly)		
<b>Average Monthly Print Volume (AMPV)</b>	Up to 75K pages per month		
<b>Electrical</b>	NA, 110–120V at 60 Hz, 20 amps. EU, 220–240V at 50 Hz. Refer to the Customer Install Guide for specific details		
<b>Paper Flexibility/Weights</b>	<p><b>Standard Paper Capacity:</b> 3,500 sheets: (Tray 1 and 2: 540 sheets, Tray 3: 890 sheets, Tray 4: 1,280 sheets, Tray 5 (MSI/Bypass): 250 sheets)</p> <p><b>Maximum Paper Capacity:</b> 7,500 sheets (Tray 1 and 2: 540 sheets, Tray 3: 890 sheets, Tray 4: 1,280 sheets, Tray 5 (MSI/Bypass): 250 sheets, Two-tray Oversized High Capacity Feeder: 4,000 sheets)</p> <p><b>Sizes:</b> Tray 1: 3.93 x 5.82 in. (100 x 148 mm) to 13 x 19.2 in. (330.2 x 488 mm); Tray 2: 3.93 x 5.82 in. (100 x 148 mm) to 13 x 19.2 in. (330.2 x 488 mm); Tray 3: 7.25 x 10.5 in. (184 x 267 mm) to 8.5 x 11 in./A4; Tray 4: 7.25 x 10.5 in. (184 x 267 mm) to 8.5 x 11 in./A4</p>		
<b>Image Quality</b>	<p><b>Print Technology</b> Setting a new, higher benchmark for light production image quality with LED technology, the printer delivers 2400 x 2400 dpi resolution using advanced HD LED and HD EA Toner for exceptional clarity and vibrant, rich colors</p> <p><b>Line Screens</b> It supports 150/200/300/600 dot screens, a 200-line screen, stochastic screening, and enhanced text and graphics</p> <p><b>Registration</b> <ul style="list-style-type: none"> <li>• Cutting-edge registration technology for tight control</li> <li>• Simple Image Quality Adjustment (SIQA) for de-skew, registration, and density uniformity (available on all configurations)</li> <li>• +/- 0.5 mm; variation may occur based on paper size, tray, etc.</li> </ul> </p>		
<b>Print Features</b>	<ul style="list-style-type: none"> <li>• Print, copy, scan, and fax (optional), including scan to PC, USB, or email, and mobile printing</li> <li>• The expansive media range allows you to print everything from postcards to posters, on both coated and uncoated stock, up to 400 gsm</li> <li>• The Xerox Extensible Interface Platform® (EIP) enables connectivity with third-party software solutions</li> <li>• Inline finishing options provide a professional polish, including banner printing, stapling, hole punching, folding, booklet stitching, creasing, and three-knife trimming—for booklets, stitched presentations, reports, and newsletters</li> <li>• Stay secure with integrated security features such as Internet Protocol (IP) filtering, image overwrite, secure print, encrypted scan to email, authentication, and IPv6 support</li> <li>• 51 in./1,300 mm XLS or Banner sheet size (Tray 5) supporting up to 220 gsm</li> <li>• Up to 400 gsm media weight (Tray 5 and Two-tray OHCF only), with auto-duplex printing up to 350 gsm (Bypass Tray and OHCF)</li> <li>• Xerox® replaceable units for toners, drums, fuser, charge corotron, waste bottles, staples</li> <li>• Custom Paper Setup and Paper Catalog</li> <li>• Load-while-run toner and paper capability</li> <li>• Remote UI and Smart Proximity Sensor</li> <li>• Optional Features: Common Access Card Enablement Kit, Accounting Options, PostScript with Integrated Color Server</li> </ul>		
<b>Servers</b>	<ul style="list-style-type: none"> <li>• Integrated Color Server for the Xerox® PrimeLink® C9200 Series (Must be ordered separately in some geographies)</li> <li>• Xerox® EX-i C9200 Series Print Server Powered by Fiery® (FS600 Platform) (Optional)</li> <li>• Xerox® EX C9200 Series Print Server Power by Fiery® (FS600 Platform) (Optional)</li> </ul>		
<b>Integrated Scanner</b>	<ul style="list-style-type: none"> <li>• Single-pass Automatic Duplex Document Feeder</li> <li>• Color or black-and-white scanner</li> <li>• Thumbnail preview, XPS, TIFF, JPEG, Scan to searchable text PDF (Optional), PDF/A</li> <li>• 250-sheet capacity</li> <li>• Up to 270 ipm (color, up to 200 gsm)</li> <li>• Up to 270 ipm (black-and-white, up to 200 gsm)</li> <li>• Originals up to 11 x 17 in./A3 in weights from 38 gsm/16 lb. bond to 200 gsm/53 lb. bond</li> <li>• Auto Document Feeder and platen glass used with SIQA (Tray to Paper registration)</li> </ul>		
<b>Optional Feeding</b>	<p><b>High-Capacity Feeder (HCF A4/US Letter):</b> 2,000-sheet capacity; supports 7.25 x 10.5 in., 8.5 x 11 in. / 184.2 x 266.7 mm, 215.9 x 279.4 mm / B5, A4; media range: 16 lb bond to 60 lb cover (60–220 gsm), uncoated and coated</p> <p><b>Two-Tray Oversized High-Capacity Feeder:</b> 4,000-sheet total capacity. Trays 6 and 7 support media from 3.9 x 5.8 in. / 100 x 148 mm up to 13 x 19.2 in. / 330 x 488 mm (60–400 gsm). Two-Tray OHCF Tray 5 (bypass): supports banner sheets (XLS) up to 13 x 51 in. / 330 x 1300 mm, 220 gsm</p> <p><b>One-Tray Oversized High-Capacity Feeder:</b> 2,000-sheet capacity plus storage cabinet. Tray 6 supports 3.9 x 5.8 in. / 100 x 148 mm up to 13 x 19.2 in. / 330 x 488 mm (60–350 gsm). One-Tray OHCF Tray 5 (bypass): supports banner sheets (XLS) up to 13 x 26 in. / 330 x 660 mm, 220 gsm</p> <p>One-Tray OHCF does not support banner size sheets (XLS) larger than 13x26 in</p>		
<b>Optional Finishing*</b>	<p><b>Offset Catch Tray:</b> Sheet stacking, 500 sheets</p> <p><b>Xerox® Business Ready Finisher 2.0:</b> Stapling, stacking, top and stacking trays, stacking maximum: 3K. Options: C/Z Folder, punch</p> <p><b>Xerox® Business Ready Booklet Maker Finisher 2.0:</b> Same features as the Business Ready Finisher 2.0, plus a booklet maker, saddle-stitch 80 pages/20 sheets</p> <p><b>Xerox® Production Ready Finisher:</b> Stapling, stacking, top and stacking trays, stacking maximum: 3K</p> <p><b>Xerox® Production Ready Booklet Maker Finisher:</b> Same features as the Production Ready Finisher, plus a booklet maker, saddle-stitch 120 pages/30 sheets</p> <p><b>Xerox® Production Ready Finisher Plus:</b> Same features as the Production Ready Finisher, plus a Finishing Transport Module, which enables connection to third-party finishing solutions:</p> <p><b>Plockmatic Pro450e/Pro435e Booklet Maker:</b> Stapling, folding, spine forming, and full bleed trimming, saddle-stitch 200/120 pages; 50/30 sheets</p> <p><b>GBC® eWire:</b> Punching, collating, and twin-loop binding</p> <p><b>Xerox® Inserter Tray:</b> Tray allowing up to 250 sheets of pre-printed pages; required with Production Ready Finishers</p> <p><b>Xerox® SquareFold® Trimmer:</b> Booklet face trim, crease</p> <p><b>Xerox® Crease and Two-Sided Trimmer:</b> Booklet top and bottom (head/foot) trim, crease</p> <p><b>Xerox® C/Z Folder:</b> Creates C, Z, and engineering folds; letter/A4</p> <p><b>Xerox® High Capacity Stacker:</b> Stacks up to 5K sheets, with removable cart</p> <p><b>GBC® Advanced Hole Punch:</b> Hole punch: 3/7, additional sets for binding styles: wire, coil, comb</p> <p><b>GBC® AdvancedLam Pro™ Inline Laminator:</b> Lamination in-line or off-line</p> <p>Finisher options will vary based on the type of Finisher; refer to <a href="#">Product Explorer</a>*</p>		

## TOSHIBA

Toshiba America Business Solutions is an accredited Xerox® Partner in the USA.

### Xerox® Office and Light Production Products Industry Certifications.

Configurations may vary by geographical location.