

E-STUDIO 2000AC **E-STUDIO** 2500AC

- > Color Multifunction Printer
- > Up to 25 PPM
- > Small Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready





CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customizable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you meet your green objectives.

- > 20 and 25 PPM
- > Affordable, high-resolution color
- > High-volume black & white
- > Advanced e-BRIDGE Next technology

> Fast dual-core processor

Color commands attention. Technology makes it possible.

It's important that an MFP is powerful, reliable, and efficient. Add color to that and you have even more ways to make your documents impactful.

- > Up to 600 dpi x 1,200 dpi
- Toshiba e-BRIDGE Color Profile Tool allows for the creation of profiles to adjust color for varying media types, lighting or even to match Pantone colors, unique spot colors or output from another device
- 256 gradations provide ultra smooth transitions in photos and illustrations
- Auto-calibration ensures consistency of color across small and large print jobs



Simple, smart and stylish. A new 9" tablet-style touch screen with an embedded web browser is easy to use and customizable to meet your needs. And, it is part of the bold new look being introduced across the e-STUDIO series.

COMPACT SIZE, ALL-NEW LOOK, AND A POWERFUL PUNCH.

For small and medium businesses and workgroups that demand color along with a small footprint, Toshiba has answered the call. The e-STUDIO2500AC series is packed with industry-leading technology and innovations designed to help workgroups connect, integrate and simplify.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or type or, in some cases, even colored toner.

Limitless Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

Heavy Paper Support handles 16 lb bond to 90 lb index through drawers and LCF and up to 110 lb index in bypass.

Heavy Duplex Support can also handle 16 lb bond to 90 lb index for heavy duty duplexing.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Context-Sensitive Help Button provides instant, thorough explanations straight from the manual to help as needed.

Service Module Design significantly reduces the cost and time spent servicing the MFP.

Multi-Station Print Enabler allows you to retrieve your print job from a series of networked MFPs via simple authentication.









CONVENIENCE AND SECURITY.

Small workgroups looking for quality color will appreciate the fact that the e-STUDIO2500AC series is easily integrated, customizable and solutions ready, with an open platform.

Convenient e-filing lets users store jobs that are frequently printed and access finishing features.

Toshiba's exclusive e-BRIDGE Print & Capture application enables mobile device users to take advantage of the broad feature set when they're in the office and on the go.

A universal driver along with PCL 6, PS3, and XPS support provide fast and easy connectivity to Windows, Macintosh and more.

The universal print driver works for all users. Tandem print comes standard, and you can choose from a variety of time-saving, function-adding plug-ins that enable productivity from the driver. For instance:

- Job Point—quickly split up large jobs with up to 10 Toshiba MFPs
- > Job Replicator—use multi-part form replacement (3 prints)
- Job Separator—perform batch printing easily using any Windows app
- Job Build—conveniently print different document types all together

Industry-Leading Security

Along with all of the new and innovative Toshiba technologies, we keep the security of your business top of mind.

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- FIPS 140-2 Validated SED meets and exceeds government requirements
- IPsec is available to securely encrypt data sent to and from the MFP

World-Leading Environmental Standards

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely what we do here at Toshiba.

- > RoHS compliance, the use of recycled plastics, and Low-Power (0.6W) Super Sleep Mode work to help the environment
- > EPEAT Gold Registered in the global registry for greener electronics, designed to help purchasers choose products that reduce environmental impact
- Energy Star V2.0 meets the latest, more stringent requirements



SEE WHAT THE e-STUDIO2500AC SERIES IS MADE OF.

1 Document Feeder Options

MR3031 Reversing Automatic Document Feeder (RADF)

KA5005PC Platen Cover

2 Accessory Tray & Options

GR1250 Accessory Tray
GR9000 Bluetooth Keyboard
GR1260 10-Key Numeric Keypad

3 Finishing Options

MJ1042 50-Sheet Inner Finisher

MJ1110 50-Sheet Saddle-Stitch Finisher

MJ5014 Job Separator

4 Additional Paper Options

KD1058 Paper Feed Pedestal

KD1059LT 2,000-Sheet Large Capacity Feeder MY1048 Additional Drawer Module for PFP

MY1049 Envelope Cassette



Additional Option Highlights

- > Embedded OCR Enabler
- > Multi-Station Print Enabler
- > Wireless LAN/Bluetooth
- > IPsec Security Enabler
- > Single & Dual-Line Facsimile
- > Hidden Card Reader Pocket
- > Expansive Third-Party Solutions List

We work out of the box to find innovative ways to make your business run more efficiently. In fact, we've found quite a few.

Touch and Swipe with Ease

An easy to see, tablet style 9" color touch screen panel works intuitively, helping you find instructions, functions, and commands with the swipe of the finger.

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their badge and authenticating at that device.

Envelopes—the Perfect Fit

A special envelope cassette is available to hold up to 60 envelopes, making sure each one is fed and printed in the same place, every time.

Volumes and Volumes

A high monthly copy volume up to 84,000 pages. Toner yields are 33,600 CMY and 38,400 K pages (at 5%) respectively.

Advanced e-BRIDGE Next Technology

Built on Linux®, this latest e-BRIDGE Next architecture features an Embedded Web Browser, a fast dual-core processor, 4GB RAM and a 320GB FIPS 140-2 Validated SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

A Clever Inside Pocket

We've put the Authentication Card Reader inside the machine for a cleaner look and safer use.

©-STUDIO 2000AC/2500AC

Main Specifications

Copy System Indirect Electrostatic Photographic Method/OPC/LED Printing/

Heat Roller Fusing

9" Color WVGA Touch Screen Tilting Display Display 20/25 PPM (LT)

Copy Speed First Copy Out Color: 9.5/9.5 Monochrome: 7.1/7.1 Warm-Up Time Approx. 21 Seconds Copy Resolution 600 x 600 dpi ST-R to LD, Envelope Stack Feed Bypass Multiple Copying Up to 999 Copies

Standard 350 Sheets/Max. 2,900 Sheets Paper Capacity

Optional 100-Sheet RADF **Original Feed**

RADF Scan: Up to 73 IPM (Monochrome or Color), Simplex: 9.3-41.8 lb Bond, Scan Speed & Weights

Duplex: 13.3-41.8 lb Bond ΙD

Max. Original Size Paper Feed Sizes

Drawer 1: 250 Sheets-ST-R to LD

Stack Feed Bypass: 100 Sheets-3.9" x 5.8" to LD Opt. Paper Feed Unit: 550 Sheets-ST-R to LD Opt. 550-Sheet Paper Feed Pedestal-ST-R to LD Opt. 550-Sheet Drawer for PFP -ST-R to LD

Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-ST-R to LG

Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-LT Only Standard: 250 Sheets-16 lb Bond-90 lb Index Paper Weights

Stack Feed Bypass: 100 Sheets-16 lb Bond-110 lb Index Opt. Paper Feed Unit: 550 Sheets-16 lb Bond-90 lb Index Opt. 550-Sheet Paper Feed Pedestal: 16 lb Bond-90 lb Index Opt. 550-Sheet Drawer for PFP: 16 lb Bond-90 lb Index Opt. Envelope Cassette for PFP: 16 lb Bond-lb Index Opt. 2,000-Sheet Tandem LCF (Pedestal Type): 17-28 lb Bond

Standard Automatic Duplex Unit: 16 lb Bond-90 lb Index Duplex

Reproduction Ratio 25% to 400%

Max Duty Cycle Max. 67.2K Month (e-STUDIO 2000AC) Max. 84K Month (e-STUDIO 2500AC)

Approx. 126 lb Weight

Approx. Dimensions 22.6" (W) x 23" (D) x 26.1" (H) CMY: 33.6K, BK: 38.4K @ 5% 120 Volts, 50/60 Hz, 12 Amps **CMYK Toner Yield Power Source** Maximum 1.5kW (120V) **Power Consumption** Intel Atom™ 1.33GHz (Dual-Core)

Memory

Hard Disk Drive 320GB Self-Encrypting Drive FIPS 140-2 Validated

e-BRIDGE Next Print Specifications

PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG 20/25 Pages Per Minute (LT) 600 x 600 dpi (5 bit) 600 x 1,200 dpi (1 bit) PS3 Only **Print Speed Print Resolution**

Operating Systems Windows® Vista, Windows Server® 2008/R2, Windows® 7, 8, 8.1, 10,

Windows Server® 2012/R2, Macintosh® (Mac OS × 10.6, 10.7, 10.8, 10.9,

10.10, 10,11), Unix®, Linux® **Network Protocols** TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell®

Environments, EtherTalk® for Macintosh Environments

Printing Protocols

SMB, LPR/LPD, IPP (Ver.1.1) wAuthentication, AppleTalk PAP or EtherTalkTM, Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP Windows® Vista SP2 (32-bit, 64-bit), Windows Server® 2008 SP2 (32-bit, **Print Drivers**

64-bit), Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit, 64-bit), Windows® 8/8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows® 10 (32-bit, 64-bit), Mac OS® X 10.6.8, 10.7.4, 10.8, 10.9, 10.10

RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed), Optional Interface

802.11b/g/n, Wireless LAN, Optional Bluetooth AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Wireless Device

Android (Available via Apple App Store or Google Play) **Device Management** TopAccess, EFMS 6.2 (e-BRIDGE Fleet Management Software)

Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device). Login Name/Password (via Windows domain) or Login Name/ Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function

Accessibility Features Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen

Timeout and Audible Beep Message Alerts

Security Features

User Authentication, On-Board Data Scramble Function, SCFP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408 EAL3+)*, IEEE2600.1, IEEE802.1X, Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log

Access Control for Job Log, Security Stamp

* Compliant with IEEE2600.1 in High security mode.

Energy Star (V2.0), EPEAT Gold, Blue Angel Mark (RAL UZ-171, MFD), Environmental Stds.

Canadian ECP, Californian Proposition 65, Nordic Swan, RoHS Certification WHQL (Windows 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell, Citrix, SAP

Scan Specifications

Scan Speed RADF Scan: Up to 73 IPM (Monochrome or Color) Standard: Full Color, Auto Color, Monochrome, Grayscale 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Scan Modes Scan Resolution

Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable **File Formats**

PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX

(Opt.), PPTX (Opt.)

Color/Grayscale: JPEG (High, Middle, Low) **Image Compression**

Facsimile Specifications

Compatibility **Data Compression** MH/MR/MMR/JBIG **Transmission Speed** Approx. 3 Seconds Per Page Up to 33.6 Kbps Fax Modem Speed

Memory Transmission 100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations /Job

Scan Speed 0.7 Seconds Per Page, Maximum 73 IPM

e-Filing Specifications

Operation Method Color Touch Screen Control Panel or Client PC 1 Public Box, 200 Private User Boxes Number of Boxes

100 Folders Per Box, 400 Documents Per Folder/Box, Capacity of Boxes

MY1049

200 Pages Per Document

Accessories (Options)

Platen & Document Feeder Options MR3031 RADE

Platen Cover KA5005PC **Additional Paper Options** KD1058 Paper Feed Pedestal Paper Feed Unit MY1047 Drawer Module MY1048

KD1059LT Large Capacity Feeder **Finishing Options** MJ1042 Inner Finisher Saddle-Stitch Finisher MJ1110

Hole Punch Unit (For MJ1042) MJ6011 Hole Punch Unit (For MJ1110) MJ6105 Bridge Kit KN5005 Job Separator MJ5014

Connectivity/Security Options

Envelope Cassette Option

FAX Unit/2nd Line for FAX Unit GD1370 Wireless LAN/Bluetooth GN4020 Bluetooth Keyboard GR9000 GR1250 Accessory Tray
Panel 10-Key Option GR1260 Card Reader Holder GR1290 Meta Scan Enabler GS1010 GP1080 IPsec Enabler Unicode Font Enabler GS1007 Embedded OCR Enabler GS1080 Single License GS1085 Five Licenses Multi-Station Print Enabler Single License GS1090 Five Licenses GS1095 USB Hub Option GR1270 Advanced Scanning (ReRite) GB1280V8 SharePoint Connector GB1440 GB1450 Exchange Connector

Google Docs Connector **Miscellaneous Options**

STAND5005 Stand Accessible Arm KK2550 Work Tray KK5005 Manual Pocket KK5008 Harness Kit for Coin Controller GQ1280

GB1540



Account Control













Designs and specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. This is a Class 1 laser product complying with IEC60825-1.

© 2017 Toshiba America Business Solutions, Inc. Electronic Imaging Division Inv. Code 22298 2000AC/2500AC Brochure 5K PG 7/17

Corporate Office

East Coast

Midwest

South

West Coast

Web Site

9740 Irvine Blvd., Irvine, CA 92618 Tel: 949-462-6000

959 Route 46 East, 5th Floor, Parsippany, NJ 07054

Tel: 973-316-2700

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631 Tel: 773-380-6000

2037 Bakers Mill Rd., Dacula, GA 30019 Tel: 678-546-9385

9740 Irvine Blvd., Irvine, CA 92618 Tel: 949-462-6000

www.business.toshiba.com